

UC-NRLF



SD 54 659

K+QL

675

L37

1892

LOCKED

CASE

— OF —

NORTH AMERICAN

BIRDS EGGS

—
LATTIN.

—
PRICE 35 CENTS.

—
1892-93.

Ex-libris

Charles

Atwood

Kofoid

BMC





THE LIBRARY
OF
THE UNIVERSITY
OF CALIFORNIA

PRESENTED BY
PROF. CHARLES A. KOFOID AND
MRS. PRUDENCE W. KOFOID

The Standard Catalogue

—OF—

NORTH AMERICAN

BIRDS EGGS

—
Compiled by Frank H. Lattin.

—
THIRD EDITION.

—
1892-93.
—

Revised, Corrected and Brought Up to Date
of Going to Press.

—
PRICE 35 CENTS.
—

ALBION, N. Y.:
FRANK H. LATTIN.
JUNE, 1892.

Birds

K-t QL 675

L37

1892

Bwl

L16
locked
case

T²

CAPT. CHAS. E. BENDIRE,
J. PARKER NORRIS ESQ.,
CAPT. B. F. GOSS,

The compiler is indebted for many valuable notes and suggestions which were largely used in the fixing of values of all the rarer species and many of the more common ones.

Without the invaluable assistance of these gentlemen the completeness of this catalogue would have been impossible.

THE COMPILER.

COPYRIGHT, 1892, BY FRANK H. LATTIN.

M366928

STANDARD CATALOGUE

—OF—

North American Birds Eggs

A. O. U. Nomenclature.

(The numbers following "r" were those used by Ridgway in the Smithsonian Catalogue of 1881; the numbers following "c" are those used by Coues in his Check-List of 1883. The asterisk (*) following prices signifies that the value given is for European specimens.)

No.		Price each
1	<i>Æchmophorus occidentalis</i> r 729, c 845 Western Grebe	\$.50
2	<i>Colymbus holbœllii</i> r 731, c 847 Holbœll's Grebe	.50
3	<i>Colymbus auritus</i> r 732, c 848 Horned Grebe	.20
4	<i>Colymbus nigricollis californicus</i> r 733a, c 850 American Eared Grebe	.15
5	<i>Colymbus dominicus</i> r 734 c 851 St. Domingo Grebe	.50
6	<i>Podilymbus podiceps</i> r 735, c 852 Pied-billed Grebe	.10
7	<i>Urinator imber</i> r 736, c 840 Loon	1.50
8	<i>Urinator adamsii</i> r 737, c 841 Yellow-billed Loon	5.00
9	<i>Urinator arcticus</i> r 738, c 842 Black-throated Loon	1.50*
10	<i>Urinator pacificus</i> r 739, c 843 Pacific Loon	2.00
11	<i>Urinator lumme</i> r 740, c 841 Red-throated Loon	.75*
12	<i>Lunda cirrhata</i> r 745, c 853 Tufted Puffin	.50
13	<i>Fratercula arctica</i> r 743, c 854 Puffin	.26
13a	<i>Fratercula arctica glacialis</i> r 743a, c 855 Large-billed Puffin	1.00

4 Standard Catalogue of

14	<i>Fratercula corniculata</i> r 744, c 853 Horned Puffin	2 00
15	<i>Cerorhinca monocerata</i> r 746, c 857 Rhinocerous Auklet	3.00
16	<i>Ptychoramphus aleuticus</i> r 751, c 862 Cassin's Auklet	1.50
17	<i>Cyclorhynchus psittaculus</i> r 747, c 858 Paroquet Auklet	3.00
18	<i>Simorhynchus cristatellus</i> r 748, c 859 Crested Auklet	3.00
19	<i>Simorhynchus pygmaeus</i> r 749, c 860 Whiskered Auklet	2.50
20	<i>Simorhynchus pusillus</i> r 750, c 861 Least Auklet	2.50
21	<i>Synthliboramphus antiquus</i> r 753, 759, c 864, 870 Ancient Murrelet	3.00
23	<i>Brachyramphus marmoratus</i> r 755, c 866 Marbled Murrelet	4.00
24	<i>Brachyramphus kittlitzii</i> r 756, c 867 Kittlitz's Murrelet	5.00
25	<i>Brachyramphus hypoleucus</i> r 757, c 868 Xantus's Murrelet	5.00
26	<i>Brachyramphus craveri</i> r 758, c 869 Craveri's Murrelet	4.00
27	<i>Cepphus grylle</i> r 760pt, c 871pt Black Guillemot	.25
28	<i>Cepphus mandtii</i> r 760pt, c 871pt Mandt's Guillemot	.75
29	<i>Cepphus columba</i> r 761, c 842 Pigeon Guillemot	.50
30	<i>Uria troile</i> r 763, c 874 Murre	.20
30a	<i>Uria troile californica</i> r 763a, c 875 California Murre	.20
31	<i>Uria lomvia</i> r 764a, c 876 Brunnich's Murre	.25
31a	<i>Uria lomvia arra</i> r 764, Pallas's Murre	.50
32	<i>Alca torda</i> r 742, c 877 Razor-billed Auk	.25
33	<i>Plautus impennis</i> r 741, c 878 Great Auk	1.00†

†Cast of egg; Egg worth from \$1000 to \$2500

34	<i>Alle alle</i> r 752, c 863 Dovekie	1.25
35	<i>Megalestris skua</i> r 693, c 764 Skua	.50*
36	<i>Stercorarius pomarinus</i> r 697, c 765 Pomarine Jaeger	2.50*
37	<i>Stercorarius parasiticus</i> r 698, c 766 Parasitic Jaeger	.50*
38	<i>Stercorarius longicaudus</i> r 699, c 767 Long-tailed Jaeger	1.50*
39	<i>Gavia alba</i> r 657, c 785 Ivory Gull	5.00*
40	<i>Rissa tridactyla</i> r 658, c 782 Kittiwake	.40*
40a	<i>Rissa tridactyla pollicaris</i> r 658a, c 783 Pacific Kittiwake	1.50
41	<i>Rissa brevirostris</i> r 659, c 784 Red-legged Kittiwake	1.50
42	<i>Larus glaucus</i> r 660, c 768 Glaucous Gull	.75*
42.1	<i>Larus barrovianus</i> Point Barrow Gull	2.00
43	<i>Larus leucopterus</i> r 661, c 769 Iceland Gull	1.25*
44	<i>Larus glaucescens</i> r 632, c 770 Glaucous-winged Gull	1.00
45	<i>Larus kumlienii</i> Kumlien's Gull	3.00
46	<i>Larus nelsoni</i> Nelson's Gull	
47	<i>Larus marinus</i> r 633, c 771 Great Black-backed Gull	.60
48	<i>Larus schistisgus</i> Slaty-backed Gull	
49	<i>Larus occidentalis</i> r 664, c 774 Western Gull	.30
[50]	<i>Larus affinis</i> r 665, c 773 Siberian Gull	
51	<i>Larus argentatus</i> r 666, c 772 Herring Gull	.20*
51a	<i>Larus argentatus smithsonianus</i> r 666a, c 773 American Herring Gull	.20

52	<i>Larus vegæ</i> r 657, c 775 Vega Gull	2.00
53	<i>Larus californicus</i> r 668, c 777 California Gull	.30
54	<i>Larus delawarensis</i> r 659, c 778 Ring-billed Gull	.30
55	<i>Larus brachyrhynchus</i> r 670, c 780 Short-billed Gull	1.50
[53]	<i>Larus canus</i> r 671, c 779 Mew Gull	.25*
57	<i>Larus heermanni</i> r 672, c 781 Heermann's Gull	5.00
58	<i>Larus atricilla</i> r 673, c 786 Laughing Gull	.20
59	<i>Larus franklinii</i> r 674, c 787 Franklin's Gull	.35
60	<i>Larus philadelphia</i> r 675, c 783 Bonaparte's Gull	2.00
[60.1]	<i>Larus minutus</i> Little Gull	
61	<i>Rhodostethia rosea</i> r 675, c 789 Ross's Gull	
62	<i>Xema sabinii</i> r 677, c 790 Sabine's Gull	3.00
63	<i>Gelochelidon nilotica</i> r 679, c 792 Gull-billed Tern	.20
64	<i>Sterna tschegrava</i> r 680, c 793 Caspian Tern	.50
65	<i>Sterna maxima</i> r 681, c 794 Royal Tern	.40
66	<i>Sterna elegans</i> r 682, c 795 Elegant Tern	5.00
67	<i>Sterna sandvicensis acuflavida</i> r 683, c 796 Cabot's Tern	.40
[68]	<i>Sterna trudeaui</i> r 684, c 802 Trudeau's Tern	
69	<i>Sterna forsteri</i> r 685, c 798 Forster's Tern	.10
70	<i>Sterna hirundo</i> r 686, c 797 Common Tern	.08
71	<i>Sterna paradisæa</i> r 687, c 799 Arctic Tern	.10

72	<i>Sterna dougalli</i> r 688, c 800 Roseate Tern	.15
73	<i>Sterna aleutica</i> r 689, c 803 Aleutian Tern	2.00
74	<i>Sterna antillarum</i> r 690, c 801 Least Tern	.08
75	<i>Sterna fuliginosa</i> r 691, c 804 Sooty Tern	.25
[76]	<i>Sterna anæthetus</i> r 692, c 805 Bridled Tern	1.00
77	<i>Hydrochelidon nigra surinamensis</i> r 693, c 806 Black Tern	.10
[78]	<i>Hydrochelidon leucoptera</i> r 694, c 807 White-winged Black Tern	.50*
79	<i>Anous stolidus</i> r 695, c 808 Noddy	.50
80	<i>Rynchops nigra</i> r 655, c 809 Black Skimmer	.12
81	<i>Diomedea nigripes</i> r 700, c 811 Black-footed Albatross	
82	<i>Diomedea albatrus</i> r 701, c 810 Short-tailed Albatross	
[83]	<i>Thalassogeron culminatus</i> r 702, Yellow-nosed Albatross	3.00
84	<i>Phoebetria fuliginosa</i> r 703, c 812 Sooty Albatross	3.00
[85]	<i>Ossifraga gigantea</i> r 704, c 813 Giant Fulmar	
86	<i>Fulmarus glacialis</i> r 705, c 814 Fulmar	.75*
86a	<i>Fulmarus glacialis minor</i> Lesser Fulmar	
86b	<i>Fulmarus glacialis glupischa</i> r 705a, c 815 Pacific Fulmar	2.00
86c	<i>Fulmarus glacialis rodgersii</i> r 705b, c 816 Rodger's Fulmar	2.50
87	<i>Fulmarus glacialoides</i> r 706, c 817 Slender-billed Fulmar	
88	<i>Puffinus borealis</i> c 888 Cory's Shearwater	
89	<i>Puffinus major</i> r 709, c 832 Greater Shearwater	

S Standard Catalogue of

[90]	<i>Puffinus puffinus</i> r 711, c 834 Manx Shearwater	1.00*
91	<i>Puffinus creatopus</i> r 710, c 833 Pink-footed Shearwater	
92	<i>Puffinus auduboni</i> r 712, c 835 Audubon's Shearwater	1.50
93	<i>Puffinus gavia</i> r 713, c 836 Black-vented Shearwater	2.50
94	<i>Puffinus stricklandi</i> r 714, c 837 Sooty Shearwater	3.00
95	<i>Puffinus griseus</i> r 715, c 838 Dark-bodied Shearwater	
96	<i>Puffinus tenuirostris</i> r 716, c 839 Slender-billed Shearwater	
[97]	<i>Puffinus cinereus</i> r 707, c 830 Black-tailed Shearwater	
[98]	<i>Æstrelata hasitata</i> r 717, c 819 Black-capped Petrel	
[99]	<i>Æstrelata scalaris</i> c 887 Scaled Petrel	
100	<i>Æstrelata fisheri</i> Fisher's Petrel	
[101]	<i>Bulweria bulweri</i> r 718, c 820 Bulwer's Petrel	
[102]	<i>Daption capensis</i> r 719, c 818 Pintado Petrel	
103	<i>Halocyptena microsoma</i> r 720, c 821 Least Petrel	
104	<i>Procellaria pelagica</i> r 721, c 822 Stormy Petrel	.50*
105	<i>Oceanodroma furcata</i> r 723, c 823 Fork-tailed Petrel	2.00
106	<i>Oceanodroma leucorhoa</i> r 723, c 823 Leach's Petrel	20
106.1	<i>Oceanodroma macrodactyla</i> Gaudaloupe Petrel	
107	<i>Oceanodroma melania</i> r 724, c 824 Black Petrel	
108	<i>Oceanodroma homochroa</i> r 725, c 825 Ashy Petrel	3.00
109	<i>Oceanites oceanicus</i> r 723, c 823 Wilson's Petrel	

[110]	<i>Cymodroma grallaria</i>	r 728, c 829	
	White-bellied Petrel		
[111]	<i>Pelagodroma marina</i>		
	White-faced Petrel		
112	<i>Phaethon flavirostris</i>	r 654, c 763	
	Yellow-billed Tropic Bird		2.50
113	<i>Phaethon æthereus</i>	r 655, c 762	
	Red-billed Tropic Bird		3.00
[114]	<i>Sula cyanops</i>	r 651,	
	Blue-faced Booby		2.00
114.1	<i>Sula gossi</i>		
	Blue-footed Booby		5.00
115	<i>Sula sula</i>	r 652, c 747	
	Booby		1.75
115.1	<i>Sula brewsteri</i>		
	Brewster's Booby		5.00
[116]	<i>Sula piscator</i>	r 653	
	Red-footed Booby		
117	<i>Sula bassana</i>	r 650, c 746	
	Gannet		.35
118	<i>Anhinga anhinga</i>	r 649, c 760	
	Anhinga		.25
119	<i>Phalacrocorax carbo</i>	r 642, c 750	
	Cormorant		.50; 25*
120	<i>Phalacrocorax dilophus</i>	r 643, c 751	
	Double-crested Cormorant		.25
120a	<i>Phalacrocorax dilophus floridanus</i>	r 643a, c 753	
	Florida Cormorant		.25
120b	<i>Phalacrocorax dilophus cincinatus</i>	r 643b, c 752	
	White-crested Cormorant		.50
120c	<i>Phalacrocorax dilophus albociliatus</i>		
	Farallone Cormorant		.50
121	<i>Phalacrocorax mexicanus</i>	r 644, c 754	
	Mexican Cormorant		1.00
122	<i>Phalacrocorax penicillatus</i>	r 645, c 755	
	Brandt's Cormorant		.25
123	<i>Phalacrocorax pelagicus</i>		
	Pelagic Cormorant		1.00
123a	<i>Phalacrocorax pelagicus robustus</i>	r 646, c 758	
	Violet-green Cormorant		1.00
123b	<i>Phalacrocorax pelagicus resplendens</i>	r 646a, c 759	
	Baird's Cormorant		.25

124	<i>Phalacrocorax urile</i> r 647, c 757 Red-faced Cormorant	1.00
125	<i>Pelecanus erythrorhynchos</i> r 640, c 748 American White Pelican	.35
126	<i>Pelecanus fuscus</i> r 641, c 749 Brown Pelican	.20
127	<i>Pelecanus californicus</i> California Brown Pelican	1.00
128	<i>Fregatta aquila</i> r 639, c 761 Man-o'-war Bird	1.00
129	<i>Merganser americanus</i> r 633, c 743 American Merganser	1.50
130	<i>Merganser serrator</i> r 637, c 744 Red-breasted Merganser	.75; .25*
131	<i>Lophodytes cucullatus</i> r 638, c 745 Hooded Merganser	1.50
132	<i>Anas boschas</i> r 601, c 707 Mallard	.20
133	<i>Anas obscura</i> r 602.pt c 708pt Black Duck	.40
134	<i>Anas fulvigula</i> r 603, c 709 Florida Duck	1.00
134a	<i>Anas fulvigula maculosa</i> r 602pt, c 708pt Mottled Duck	
135	<i>Anas strepera</i> r 604, c 711 Gadwall	.75; .50*
136	<i>Anas penelope</i> r 606, c 712 Widgeon	.25*
137	<i>Anas americana</i> r 607, c 713 Baldpate	.75
[138]	<i>Anas crecca</i> r 611, c 714 European Teal	.20*
139	<i>Anas carolinensis</i> r 612, c 715 Green-winged Teal	.50
140	<i>Anas discors</i> r 609, c 716 Blue-winged Teal	.20
141	<i>Anas cyanoptera</i> r 610, c 717 Cinnamon Teal	.35
142	<i>Spatula clypeata</i> r 608, c 718 Shoveller	.50; 30*
143	<i>Dafila acuta</i> r 605, c 710 Pintail	.30*

144	<i>Aix sponsa</i>	r 613, c 719	
	Wood Duck		.75
[145]	<i>Netta rufina</i>	c 886	
	Rufous-crested Duck		
146	<i>Aythya americana</i>	r 618, c 723	
	Redhead		.35
147	<i>Aythya vallisneria</i>	r 617, c 724	
	Canvas-back		1.25
148	<i>Aythya marila nearctica</i>	r 614, c 720	
	American Scaup Duck		.60*
149	<i>Aythya affinis</i>	r 615, c 721	
	Lesser Scaup Duck		.75*
150	<i>Aythya collaris</i>	r 616, c 722	
	Ring-necked Duck		1.25
151	<i>Glaucionetta clangula americana</i>	r 620, c 725	
	American Golden-eye		1.25
152	<i>Glaucionetta islandica</i>	r 619, c 726	
	Barrow's Golden-eye		1.00
153	<i>Charitonetta albeola</i>	r 621, c 727	
	Buffle-head		2.00
154	<i>Clangula hyemalis</i>	r 623, c 728	
	Old-squaw		.40*
155	<i>Histrionicus histrionicus</i>	r 622, c 730	
	Harlequin Duck		1.00*
156	<i>Camptolaimus labradorius</i>	r 624, c 730	
	Labrador Duck		
157	<i>Eniconetta stelleri</i>	r 625, c 731	
	Steller's Duck		5.00
158	<i>Arctonetta fischeri</i>	r 623, c 732	
	Spectacled Eider		2.50
159	<i>Somateria mollissima borealis</i>	r 627, c 733	
	Northern Eider		.50
160	<i>Somateria dresseri</i>	r 627a, c 734	
	American Eider		.25
161	<i>Somateria v-nigra</i>	r 628, c 735	
	Pacific Eider		1.00
162	<i>Somateria spectabilis</i>	r 629, c 736	
	King Eider		1.50
163	<i>Oidemia americana</i>	r 630, c 737	
	American Scoter		2.00
[164]	<i>Oidemia fusca</i>	r 631	
	Velvet Scoter		.50*

165	<i>Oidemia deglandi</i> r 632, c 738 White-winged Scoter	2.50
166	<i>Oidemia perspicillata</i> r 633, c 739, 740 Surf Scoter	2.50
167	<i>Erismatura rubida</i> r 634, c 741 Ruddy Duck	.35
[168]	<i>Nomonyx dominicus</i> r 635, c 742 Masked Duck	
169	<i>Chen hyperborea</i> r 591a, c 693 Lesser Snow Goose	
169a	<i>Chen hyperborea nivalis</i> r 591, c 695 Greater Snow Goose	
169.1	<i>Chen caerulescens</i> r 590, c 694 Blue Goose	
170	<i>Chen rossii</i> r 592, c 697 Ross's Snow Goose	
[171]	<i>Anser albifrons</i> r 593, c 692 White-fronted Goose	1.00*
171a	<i>Anser albifrons gambeli</i> r 593a c 693 American White-fronted Goose	2.50
172	<i>Branta canadensis</i> r 594, c 702 Canada Goose	1.00
172a	<i>Branta canadensis hutchinsii</i> r 594a, c 704 Hutchin's Goose	1.50
172b	<i>Branta canadensis occidentalis</i> r 594c White-cheeked Goose	2.50
172c	<i>Branta canadensis minima</i> r 594b, c 703pt Cackling Goose	4.00
173	<i>Branta bernicla</i> r 595, c 700 Brant	3.50
174	<i>Branta nigricans</i> r 596, c 701 Black Brant	2.00
[175]	<i>Branta leucopsis</i> r 597, c 699 Barnacle Goose	
176	<i>Philacte canagica</i> r 598, c 698 Emperor Goose	4.00
177	<i>Dendrocygna autumnalis</i> r 599, c 703 Black-bellied Tree-duck	2.00
178	<i>Dendrocygna fulva</i> r 600, c 705 Fulvous Tree-duck	2.00
[179]	<i>Olor cygnus</i> r 586, c 690 Whooping Swan	1.50*

180	<i>Olor columbianus</i> r 588, c 689 Whistling Swan	2.50
181	<i>Olor buccinator</i> r 589, c 688 Trumpeter Swan	4.00
182	<i>Phœnicopterus ruber</i> r 585, c 687 American Flamingo	1.00
183	<i>Ajaja ajaja</i> r 505, c 653 Roseate Spoonbill	1.00
184	<i>Guara alba</i> r 501, c 651 White Ibis	.35
[185]	<i>Guara rubra</i> r 502, c 652 Scarlet Ibis	3.00
186	<i>Plegadis autumnalis</i> r 503, c 649 Glossy Ibis	.50*
187	<i>Plegadis guarauna</i> r 504, c 650 White-faced Glossy Ibis	1.00
188	<i>Tantalus loculator</i> r 500, c 648 Wood Ibis	1.00
[189]	<i>Mycteria americana</i> r 499, c 654 Jabiru	
190	<i>Botaurus lentiginosus</i> r 497, c 666 American Bittern	.75
191	<i>Botaurus exilis</i> r 498, c 667 Least Bittern	.20
191.1	<i>Botaurus neoxenus</i> Cory's Least Bittern	
192	<i>Ardea occidentalis</i> r 486, c 653 pt Great White Heron	1.00
193	<i>Ardea wardi</i> Ward's Heron	.40
194	<i>Ardea herodias</i> r 487, c 655 Great Blue Heron	.25
[195]	<i>Ardea cinerea</i> r 488, c 657 European Blue Heron	.20*
196	<i>Ardea egretta</i> r 489, c 658 American Egret	.30
197	<i>Ardea candidissima</i> r 490, c 659 Snowy Heron	.15
198	<i>Ardea rufescens</i> r 491, c 661 Reddish Egret	.35
199	<i>Ardea tricolor ruficollis</i> r 492, c 630 Louisiana Heron	.12

200	<i>Ardea cœrulea</i> r 493, c 662 Little Blue Heron	.12
201	<i>Ardea virescens</i> r 494, c 633 Green Heron	.12
201a	<i>Ardea virescens frazari</i> Frazar's Green Heron	
202	<i>Nycticorax nycticorax nævius</i> r 495, c 634 Black-crowned Night Heron	.12
203	<i>Nycticorax violaceus</i> r 496, c 665 Yellow-crowned Night Heron	.20
204	<i>Grus americana</i> r 582, c 638 Whooping Crane	3.00
205	<i>Grus canadensis</i> r 584, c 660 Little Brown Crane	5.00
206	<i>Grus mexicana</i> r 583, c 670 Sandhill Crane	2.00
207	<i>Aramus giganteus</i> r 581, c 671 Limpkin	.75
208	<i>Rallus elegans</i> r 533, c 673 King Rail	.20
209	<i>Rallus beldingi</i> Belding's Rail	
210	<i>Rallus obsoletus</i> r 570, c 674 California Clapper Rail	.35
211	<i>Rallus crepitans</i> r 571, c 673 Clapper Rail	.12
211a	<i>Rallus crepitans saturatus</i> r 571a, c 675 Louisiana Clapper Rail	.35
211c	<i>Rallus longirostris caribæus</i> Caribbean Clapper Rail	
211.1	<i>Rallus scottii</i> Scott's Rail	
212	<i>Rallus virginianus</i> r 572, c 677 Virginia Rail	.20
[213]	<i>Porzana porzana</i> r 573, c 678 Spotted Crane	.30*
214	<i>Porzana carolina</i> r 574, c 679 Sora	.10
215	<i>Porzana noveboracensis</i> r 575, c 630 Yellow Rail	3.00
216	<i>Porzana jamaicensis</i> r 576, c 681 Black Rail	3.00

216a	<i>Porzana jamaicensis coturniculus</i>	r 576a, c 682	
	Farallone Rail		
[217]	<i>Crex crex</i>	r 577, c 683	
	Corn Crake		.20
218	<i>Ionornis martinica</i>	r 578, c 685	
	Purple Gallinule		.25
219	<i>Gallinula galeata</i>	r 579, c 684	
	Florida Gallinule		.10
[220]	<i>Fulica atra</i>	c 885	
	European Coot		.15*
221	<i>Fulica americana</i>	r 580, c 686	
	American Coot		.08
222	<i>Crymophilus fulicarius</i>	r 563, c 604	
	Red Phalarope		1.50
223	<i>Phalaropus lobatus</i>	r 584, c 603	
	Northern Phalarope		.75
224	<i>Phalaropus tricolor</i>	r 585, c 603	
	Wilson's Phalarope		.75
225	<i>Recurvirostra americana</i>	r 566, c (0)	
	American Avocet		.50
223	<i>Himantopus mexicanus</i>	r 537, c 601	
	Black-necked Stilt		.50
[227]	<i>Scolopax rusticola</i>	r 524, c 606	
	European Woodcock		1.75*
228	<i>Philohela minor</i>	r 525, c 605	
	American Woodcock		1.00
[229]	<i>Gallinago gallinago</i>	r 526, c 607	
	European Snipe		.25*
230	<i>Gallinago delicata</i>	r 526a, c 608	
	Wilson's Snipe		1.50
231	<i>Macrorhamphus griseus</i>	r 527, c 609	
	Dowitcher		2.50
232	<i>Macrorhamphus scolopaceus</i>	r 527a, c 610	
	Long-billed Dowitcher		2.50
233	<i>Micropalama himantopus</i>	r 528, c 611	
	Stilt Sandpiper		3.00
234	<i>Tringa canutus</i>	r 529, c 623	
	Knot		5.00
235	<i>Tringa maritima</i>	r 530, c 620	
	Purple Sandpiper		2.00
233	<i>Tringa couesi</i>	r 531, c 621	
	Aleutian Sandpiper		3.00

237	<i>Tringa ptilocnemis</i> r 532, c 622 Prybilof Sandpiper	3.00
238	<i>Tringa acuminata</i> r 533, c 619 Sharp-tailed Sandpiper	
239	<i>Tringa maculata</i> r 534, c 616 Pectoral Sandpiper	2.00
240	<i>Tringa fuscicollis</i> r 536, c 617 White-rumped Sandpiper	3.00
241	<i>Tringa bairdii</i> r 537, c 615 Baird's Sandpiper	2.00
242	<i>Tringa minutilla</i> r 538, c 614 Least Sandpiper	2.00
[242.1]	<i>Tringa damacensis</i> Long-toed Stint	
[243]	<i>Tringa alpina</i> r 539, c 623 Dunlin	.35*
243a	<i>Tringa alpina pacifica</i> r 539a, c 624 Red-backed Sandpiper	3.00
244	<i>Tringa ferruginea</i> r 540, c 625 Curlew Sandpiper	5.00
[245]	<i>Eurynorhynchus pygmæus</i> r 542*, c 884 Spoon-bill Sandpiper	
243	<i>Ereunetes pusillus</i> r 541, c 612 Semipalmated Sandpiper	3.00
247	<i>Ereunetes occidentalis</i> r 541a, c 613 Western Sandpiper	2.00
248	<i>Calidris arenaria</i> r 542, c 627 Sanderling	
249	<i>Limosa fedoa</i> r 543, c 628 Marbled Godwit	1.25
250	<i>Limosa lapponica baueri</i> r 544, c 631 Pacific Godwit	3.00
251	<i>Limosa hæmastica</i> r 545, c 629 Hudsonian Godwit	2.50
[252]	<i>Limosa limosa</i> r 546, c 630 Black-tailed Godwit	.30*
[253]	<i>Totanus nebularius</i> r 547, c 635 Green-shank	2.50*
254	<i>Totanus melanoleucus</i> r 548, c 633 Greater Yellow-legs	5.00
255	<i>Totanus flavipes</i> r 549, c 634 Yellow-legs	2.50

256	<i>Totanus solitarius</i>	r 550pt, c 637pt	
	Solitary Sandpiper		4.00
256a	<i>Totanus solitarius cinnamomeus</i>	r 550pt, c 637pt	
	Western Solitary Sandpiper		
[257]	<i>Totanus ochropus</i>	r 551, c 636	
	Green Sandpiper		2.00*
258	<i>Symphemia semipalmata</i>	r 552pt, c 632 pt	
	Willet		.40
258a	<i>Symphemia semipalmata inornata</i>	r 552pt c 632pt	
	Western Willet		.50
259	<i>Heteractitis incanus</i>	r 553, c 642	
	Wandering Tattler		
[260]	<i>Pavoncella pugnax</i>	r 554, c 639	
	Ruff		.20*
261	<i>Bartramia longicauda</i>	r 555, c 640.	
	Bartramian Sandpiper		.35
262	<i>Tryngites subruficollis</i>	r 556, c 641	
	Buff-breasted Sandpiper		3.00
263	<i>Actitis macularia</i>	r 557, c 638	
	Spotted Sandpiper		.15
264	<i>Numenius longirostris</i>	r 558, c 643	
	Long-billed Curlew		1.00
265	<i>Numenius hudsonicus</i>	f 559, c 645	
	Hudsonian Curlew		3.00
266	<i>Numenius borealis</i>	r 560, c 646	
	Eskimo Curlew		2.00
[267]	<i>Numenius phæopus</i>	r 561, c 644	
	Whimbrel		.30*
[268]	<i>Numenius tahitiensis</i>	r 562, c 647	
	Bristle-thighed Curlew		
[269]	<i>Vanellus vanellus</i>	r 512, c 593	
	Lapwing		.15*
270	<i>Charadrius squatarola</i>	r 513, c 580	
	Black-bellied Plover		4.00
[271]	<i>Charadrius apricarius</i>	r 514, c 583	
	Golden Plover		.40*
272	<i>Charadrius dominicus</i>	r 515, c 581	
	American Golden Plover		2.00
272a	<i>Charadrius dominicus fulvus</i>	r 515a, c 582	
	Pacific Golden Plover		
273	<i>Ægialitis vocifera</i>	r 516, c 584	
	Killdeer		.20

274	<i>Ægialitis semipalmata</i> r 517, c 586 Semipalmated Plover	1.00
275	<i>Ægialitis hiaticula</i> r 518, c 589 Ring Plover	.20*
[276]	<i>Ægialitis dubia</i> r 519, c 590 Little Ring Plover	.25*
277	<i>Ægialitis meloda</i> r 520, c 587 Piping Plover	.75
277a	<i>Ægialitis meloda circumcincta</i> r 520a, c 588 Belted Piping Sandpiper	.75
278	<i>Ægialitis nivosa</i> r 521, c 591 Snowy Plover	.50
[279]	<i>Ægialitis mongola</i> Mongolian Plover	3.00
280	<i>Ægialitis wilsonia</i> r 522, c 585 Wilson's Plover	.25
281	<i>Ægialitis montana</i> r 523, c 592 Mountain Plover	1.00
282	<i>Aphriza virgata</i> r 511, c 594 Surf Bird	
283	<i>Arenaris interpres</i> r 509, c 598 Turnstone	2.00
284	<i>Arenaria melanocephala</i> r 510, c 599 Black Turnstone	3.00
[285]	<i>Hæmatopus ostralegus</i> r 506, c 595 Oyster-catcher	.25*
286	<i>Hæmatopus palliatus</i> r 507, c 596 American Oyster-catcher	.75
286.1	<i>Hæmatopus frazari</i> Frazar's Oyster-catcher	
287	<i>Hæmatopus bachmani</i> r 508, c 597 Black Oyster-catcher	1.75
[288]	<i>Jacana spinosa</i> r 568, c 672 Mexican Jacana	2.50
289	<i>Colinus virginianus</i> r 480, c 571 Bob-white	.10
289a	<i>Colinus virginianus floridanus</i> r 480a, c 572 Florida Bob-white	.15
289b	<i>Colinus virginianus texanus</i> r 480b, c 573 Texan Bob-white	.10
289c	<i>Colinus virginianus cubanensis</i> Cuban Bob-white	.50

291	<i>Colinus ridgwayi</i> Masked Bob-white	
292	<i>Oreortyx pictus</i> r 481, c 574 Mountain Partridge	.75
292a	<i>Oreortyx pictus plumiferus</i> r 481a, Plumed Partridge	.75
292b	<i>Oreortyx pictus confinus</i> San Pedro Partridge	
293	<i>Callipepla squamata</i> r 484, c 577 Scaled Partridge	.75
293a	<i>Callipepla squamata castanogastris</i> Chestnut-bellied Scaled Partridge	.35
294	<i>Callipepla californica</i> r 482, c 575 California Partridge	.10
294a	<i>Callipepla californica vallicola</i> Valley Partridge	.20
295	<i>Callipepla gambeli</i> r 483, c 576 Gambel's Partridge	.25
296	<i>Cyrtonyx montezumæ</i> r 485, c 578 Massena Partridge	2.00
297	<i>Dendragapus obscurus</i> r 471, c 557 Dusky Grouse	1.50
297a	<i>Dendragapus obscurus fuliginosus</i> r 471a, c 559 Sooty Grouse	.85
297b	<i>Dendragapus obscurus richardsonii</i> r 471b, c 558 Richardson's Grouse	1.50
298	<i>Dendragapus canadensis</i> r 472, c 555 Canada Grouse	1.50
299	<i>Dendragapus franklinii</i> r 472a, c 556 Franklin's Grouse	3.50
300	<i>Bonasa umbellus</i> r 473, c 565 Ruffed Grouse	.15
300a	<i>Bonasa umbellus togata</i> Canadian Ruffed Grouse	.40
300b	<i>Bonasa umbellus umbelloides</i> r 473a, c 566 Gray Ruffed Grouse	.75
300c	<i>Bonasa umbellus sabini</i> r 473b, c 567 Oregon Ruffed Grouse	.40
301	<i>Lagopus lagopus</i> r 474, c 568 Willow Ptarmigan	1.00
301a	<i>Lagopus lagopus alleni</i> Allen's Ptarmigan	

302	<i>Lagopus rupestris</i> r 475 c 569 Rock Ptarmigan	1.50, .50*
302a	<i>Lagopus rupestris reinhardti</i> Reinhardt's Ptarmigan	2.50
302b	<i>Lagopus rupestris nelsoni</i> Nelson's Ptarmigan	
302c	<i>Lagopus rupestris atkhensis</i> Turner's Ptarmigan	
303	<i>Lagopus welchi</i> Welch's Ptarmigan	
304	<i>Lagopus leucurus</i> r 476, c 570 White-tailed Ptarmigan	5.00
305	<i>Tympanuchus americanus</i> r 477, c 563 Prairie Hen	.20
303	<i>Tympanuchus cupido</i> r 477pt, c 563pt Heath Hen	3.00
307	<i>Tympanuchus pallidicinctus</i> r 477a, c 564 Lesser Prairie Hen	1.50
308	<i>Pediacætes phasianellus</i> r 478, c 561 Sharp-tailed Grouse	2.50
308a	<i>Pediacætes phasianellus columbianus</i> r 478a, c 562 Columbian Sharp-tailed Grouse	.50
308b	<i>Pediacætes phasianellus campestris</i> Prairie Sharp-tailed Grouse	.50
309	<i>Centrocercus urophasianus</i> r 479, c 560 Sage Grouse	.50
310	<i>Meleagris gallopavo</i> r 470apt, c 554pt Wild Turkey	.75
310a	<i>Meleagris gallopavo mexicana</i> r 470 c 553 Mexican Turkey	1.00
310b	<i>Meleagris gallopavo ocoala</i> r 470apt, c 554pt Florida Wild Turkey	
311	<i>Ortalis vetula maccalli</i> r 469, c 552 Chachalaca	.75
312	<i>Columba fasciata</i> r 456, c 539 Band-tailed Pigeon	1.00
312a	<i>Columba fasciata vioscæ</i> Viosca's Pigeon	
313	<i>Columba flavirostris</i> r 457, c 540 Red-billed Pigeon	1.00
314	<i>Columba leucocephala</i> r 458, c 541 White-crowned Pigeon	1.00

North American Birds Eggs. 21

315	<i>Ectopistes migratorius</i> r 459, c 543 Passenger Pigeon	2.00
316	<i>Zenaidura macroura</i> r 460, c 544 Mourning Dove	.03
317	<i>Zenaida zenaida</i> r 462, c 545 Zenaida Dove	1.00
318	<i>Engyptila albifrons</i> r 463, c 542 White-fronted Dove	.35
319	<i>Melopelia leucoptera</i> r 464, c 546 White-winged Dove	.20
320	<i>Columbigallina passerina</i> r 465pt, c 547pt Ground Dove	.30
320a	<i>Columbigallina passerina pallescens</i> r465pt, c547pt Mexican Ground Dove	.50
321	<i>Scardafella inca</i> r 466, c 549 Inca Dove	.75
[322]	<i>Geotrygon martinica</i> r 467, c 550 Key West Quail-dove	
[322.1]	<i>Geotrygon montana</i> Ruddy Quail-dove	
[323]	<i>Starnœnas cyanocephala</i> r 468, c 551 Blue-headed Quail-dove	
324	<i>Pseudogryphus californianus</i> r 453, c 536 California Vulture	
325	<i>Cathartes aura</i> r 454, c 537 Turkey Vulture	.75
326	<i>Catharista atrata</i> r 455, c 538 Black Vulture	.75
327	<i>Elanoides forficatus</i> r 426, c 493 Swallow-tailed Kite	10.00
328	<i>Elanus leucurus</i> r 427, c 492 White-tailed Kite	3.00
329	<i>Ictinia mississippiensis</i> r 428, c 491 Mississippi Kite	4.00
330	<i>Rostrhamus sociabilis</i> r 429, c 490 Everglade Kite	10.00
331	<i>Circus hudsonius</i> r 420, c 489 Marsh Hawk	.35
332	<i>Accipiter velox</i> r 432, c 494 Sharp-shinned Hawk	1.00
333	<i>Accipiter cooperi</i> r 431, c 495 Cooper's Hawk	.30

334	<i>Accipiter atricapillus</i>	r 433, c 496	
	American Goshawk		2.00
334a	<i>Accipiter atricapillus striatulus</i>	r 432a, c 497	
	Western Goshawk		3.00
335	<i>Parabuteo unicinctus harrisi</i>	r 434, c 512	
	Harris's Hawk		.60
[336]	<i>Buteo buteo</i>	r 435	
	European Buzzard		.40*
337	<i>Buteo borealis</i>	r 436, c 516	
	Red-tailed Hawk		.50
337a	<i>Buteo borealis kriderii</i>	r 435a, c 519	
	Krider's Hawk		1.50
337b	<i>Buteo borealis calurus</i>	r 436b, c 517	
	Western Red-tail		.60
337c	<i>Buteo borealis lucasanus</i>	r 436c, c 518	
	Saint Lucas Red-tail		
337d	<i>Buteo borealis harlani</i>	r 438, c 515	
	Harlan's Hawk		
339	<i>Buteo lineatus</i>	r 439, c 520	
	Red-shouldered Hawk		.35
339a	<i>Buteo lineatus alleni</i>		
	Florida Red-shouldered Hawk		.65
339b	<i>Buteo lineatus elegans</i>	r 439a, c 521	
	Red-bellied Hawk		1.00
340	<i>Buteo abbreviatus</i>	r 440, c 522	
	Zone-tailed Hawk		3.00
341	<i>Buteo albicaudatus</i>	r 441, c 513	
	White-tailed Hawk		1.25
342	<i>Buteo swainsoni</i>	r 442, c 523	
	Swainson's Hawk		.50
343	<i>Buteo latissimus</i>	r 443, c 524	
	Broad-winged Hawk		1.00
344	<i>Buteo brachyurus</i>		
	Short-tailed Hawk		
345	<i>Urubitinga anthracina</i>	r 444, c 528	
	Mexican Black Hawk		5.00
346	<i>Asturina plagiata</i>	r 445, c 527	
	Mexican Goshawk		2.50
[347]	<i>Archibuteo lagopus</i>		
	Rough-legged Hawk		.60*
347a	<i>Archibuteo lagopus sancti-johannis</i>	r 447, c 525	
	American Rough-legged Hawk		2.00

North American Birds Eggs. 23

348	<i>Archibuteo ferrugineus</i> r 448, c 526	
	Ferruginous Rough-leg	2.50
349	<i>Aquila chrysaetos</i> r 449, c 532	
	Golden Eagle	6.00
[350]	<i>Thrasaetus harpyia</i> r 450, c 631	
	Harpy Eagle	
[351]	<i>Haliaeetus albicilla</i> r 452, c 533	
	Gray Sea Eagle	2.00*
352	<i>Haliaeetus leucocephalus</i> r 451, c 534	
	Bald Eagle	3.50
353	<i>Falco islandus</i> r 412, c 501	
	White Gryfalcon	5.00
354	<i>Falco rusticolus</i> r 412a, c 500	
	Gray Gryfalcon	6.00
354a	<i>Falco rusticolus gryfalcon</i> r 412b, c 498	
	Gryfalcon	6.00
354b	<i>Falco rusticolus obsoletus</i> r 412c, c 499	
	Black Gryfalcon	10.00
355	<i>Falco mexicanus</i> r 413, c 502	
	Prairie Falcon	2.00
356	<i>Falco peregrinus anatum</i> r 414, c 503	
	Duck Hawk	3.00, 1.50*
356a	<i>Falco peregrinus pealei</i> r 414a, c 504	
	Peale's Falcon	
357	<i>Falco columbarius</i> r 417, c 505	
	Pigeon Hawk	2.50
357a	<i>Falco columbarius suckleyi</i> r 417a, c 506	
	Black Merlin	
358	<i>Falco richardsonii</i> r 418, c 507	
	Richardson's Merlin	
[358.1]	<i>Falco regulus</i>	
	Merlin	.50*
359	<i>Falco fusco-coerulescens</i> r 419, c 511	
	Aplomado Falcon	4.00
[359.1]	<i>Falco tinnunculus</i> r 422	
	Kestrel	.20*
360	<i>Falco sparverius</i> r 420 420a, c 508 509	
	American Sparrow Hawk	.20
[361]	<i>Falco dominicensis</i> r 421, c 510	
	Cuban Sparrow Hawk	
362	<i>Polyborus cheriway</i> r 423, c 535	
	Audu bon's Caracara	1.00

363	<i>Polyborus lutosus</i> r 424 Gaudalupe Caracara	
364	<i>Pandion haliaetus carolinensis</i> r 425, c 530 American Osprey	.50
365	<i>Strix pratincola</i> r 394, c 461 American Barn Owl	.30
366	<i>Asio wilsonianus</i> r 395, c 472 American Long-eared Owl	.35
367	<i>Asio accipitrinus</i> r 396, c 473 Short-eared Owl	1.50; .50*
368	<i>Syrnium nebulosum</i> r 397, c 476 Barred Owl	1.00
368a	<i>Syrnium nebulosum alleni</i> r 397a, c 477 Florida Barred Owl	1.25
369	<i>Syrnium occidentale</i> r 398, c 478 Spotted Owl	5.00
370	<i>Scotiaptex cinerea</i> r 399, c 474 Great Gray Owl	10.00
[370a]	<i>Scotiaptex cinerea lapponica</i> r 399a, c 475 Lapp Owl	3.00*
371	<i>Nyctala tengmalmi richardsoni</i> r 400, c 482 Richardson's Owl	3.00
372	<i>Nyctala acadica</i> r 401, cc483 Saw-whet Owl	3.00
373	<i>Megascops asio</i> r 402, c 465 Screech Owl	.50
373a	<i>Megascops asio floridanus</i> r 402a, c 469 Florida Screech Owl	.50
373b	<i>Megascops asio mcallii</i> r 402b, c 468 Texan Screech Owl	.50
373c	<i>Megascops asio bendirei</i> California Screech Owl	.50
373d	<i>Megascops asio kennicottii</i> r 402d, c 466 Kennicott's Screech Owl	2.50
373e	<i>Megascops asio maxwelliæ</i> r 402c, c 467 Rocky Mountain Screech Owl	.75
373f	<i>Megascops asio trichopsis</i> r 403, c 470 Mexican Screech Owl	1.50
374	<i>Megascops flammeolus</i> r 404, c 471 Flammulated Screech Owl	2.75
374a	<i>Megascops flammeolus idahoensis</i> Dwarf Screech Owl	

375	<i>Bubo virginianus</i> r 405, c 462 Great Horned Owl	1.00
375a	<i>Bubo virginianus subarcticus</i> r 405apt, c 463pt Western Horned Owl	1.00
375b	<i>Bubo virginianus arcticus</i> r 405b, c 463pt Arctic Horned Owl	
375c	<i>Bubo virginianus saturatus</i> r 405c, c 464 Dnsky Horned Owl	3.00
376	<i>Nyctea nyctea</i> r 406, c 479 Snowy Owl	2.00*
[377]	<i>Surnia ulula</i> r 407a, c 481 Hawk Owl	1.00*
377a	<i>Surnia ulula caparoch</i> r 407, c 480 American Hawk Owl	3.00
378	<i>Speotyto cunicularia hypogæa</i> r 408, c 487 Burrowing Owl	.15
378a	<i>Speotyto cunicularia floridana</i> r 408a, c 488 Florida Burrowing Owl	1.50
379	<i>Glaucidium gnoma</i> r 409pt, C 484pt Pygmy Owl	2.50
379a	<i>Glaucidium gnoma californicum</i> r 409pt, c 484pt California Pygmy Owl	2.50
379.1	<i>Glaucidium hoskinsii</i> Hoskin's Pygmy Owl	
380	<i>Glaucidium phalænoides</i> r 410, c 485 Ferruginous Pygmy Owl	2.25
381	<i>Micropallas whitneyi</i> r 411, c 486 Elf Owl	1.50
382	<i>Conurus carolinensis</i> r 392, c 490 Carolina Paroquet	10.00
[383]	<i>Crotophaga ani</i> r 389, c 425 Ani	1.00
334	<i>Crotophaga sulcirostris</i> r 390, c 426 Groove-billed Ani	1.00
335	<i>Geococcyx californianus</i> r 385, c 427 Road-runner	.25
386	<i>Coccyzus minor</i> r 386pt, c 429pt Mangrove Cuckoo	1.00
[386a]	<i>Coccyzus minor maynardi</i> r 386pt, c 429pt Maynard's Cuckoo	
387	<i>Coccyzus americanus</i> r 387, c 429 Yellow-billed Cuckoo	.10

387a	<i>Coccyzus americanus occidentalis</i>	r 387pt, c 429pt	
	California Cuckoo		.20
388	<i>Coccyzus erythrophthalmus</i>	r 388, c 428	
	Black-billed Cuckoo		.15
[389]	<i>Trogon ambiguus</i>	r 384, c 422	
	Coppery-tailed Trogon		
390	<i>Ceryle alcyon</i>	r 382, c 423	
	Belted Kingfisher		.20
391	<i>Ceryle cabanisi</i>	r 383, c 424	
	Texan Kingfisher		2.00
392	<i>Campephilus principalis</i>	r 359, c 431	
	Ivory-billed Woodpecker		
393	<i>Dryobates villosus</i>	r 360, c 438pt	
	Hairy Woodpecker		.50
393a	<i>Dryobates villosus leucomelas</i>	r 360a, c 438pt	
	Northern Hairy Woodpecker		
393b	<i>Dryobates villosus audubonii</i>	r 360pt, c 438pt	
	Southern Hairy Woodpecker		1.00
393c	<i>Dryobates villosus harrisii</i>	r 360bpt, c 439pt	
	Harris's Woodpecker		.75
393d	<i>Dryobates villosus hyloscopus</i>	r 360bpt, c 439pt	
	Cabanis's Woodpecker		1.00
394	<i>Dryobates pubescens</i>	r 361, c 440	
	Downy Woodpecker		.20
394a	<i>Dryobates pubescens gairdnerii</i>	r 361apt, c 441pt	
	Gairdner's Woodpecker		.50
394b	<i>Dryobates pubescens oreoecus</i>	r 361apt, c 441pt	
	Batchelder's Woodpecker		1.00
395	<i>Dryobates borealis</i>	r 362, c 433	
	Red-cockaded Woodpecker		1.50
396	<i>Dryobates scalaris bairdi</i>	r 363, c 434	
	Baird's Woodpecker		1.00
396a	<i>Dryobates scalaris lucasanus</i>	r 363a, c 436	
	Saint Lucas Woodpecker		
397	<i>Dryobates nuttallii</i>	r 364, c 435	
	Nuttall's Woodpecker		1.00
398	<i>Dryobates arizonæ</i>	r 365, c 437	
	Arizona Woodpecker		2.00
399	<i>Xenopicus albolarvatus</i>	r 366, c 442	
	White-headed Woodpecker		1.00
400	<i>Picoides arcticus</i>	r 367, c 443	
	Arctic Three-toed Woodpecker		1.50

401	<i>Picoides americanus</i> r 368, c 444 American Three-toed Woodpecker	2.50
401a	<i>Picoides americanus alascensis</i> Alaskan Three-toed Woodpecker	
401b	<i>Picoides americanus dorsalis</i> r 368a, c' 445 Alpine Three-toed Woodpecker	
402	<i>Sphyrapicus varius</i> r 369, c 446 Yellow-bellied Sapsucker	.50
402a	<i>Sphyrapicus varius nuchalis</i> r 369a, c 447 Red-naped Sapsucker	1.00
403	<i>Sphyrapicus ruber</i> r 369b, c 448 Red-breasted Sapsucker	1.50
404	<i>Sphyrapicus thyroideus</i> r 370, c 449 Williamson's Sapsucker	1.00
05	<i>Ceophloeus pileatus</i> r 371, c 432 Pileated Woodpecker	1.00
406	<i>Melanerpes erythrocephalus</i> s 375, c 453 Red-headed Woodpecker	.08
407	<i>Melanerpes formicivorus bairdi</i> r 377, c 454 Californian Woodpecker	.40
407a	<i>Melanerpes formicivorus angustifrons</i> r 377a, c 455 Narrow-fronted Woodpecker	
408	<i>Melanerpes torquatus</i> r 376, c 456 Lewis's Woodpecker	.35
409	<i>Melanerpes carolinus</i> r 372, c 450 Red-bellied Woodpecker	.25
410	<i>Melanerpes aurifrons</i> r 373, c 451 Golden-fronted Woodpecker	.50
411	<i>Melanerpes uropygialis</i> r 374, c 452 Gila Woodpecker	1.50
412	<i>Colaptes auratus</i> r 378, c 457 Flicker	.03
413	<i>Colaptes cafer</i> r 378b, c 459 Red-shafted Flicker	.10
413a	<i>Colaptes cafer saturartior</i> Northwestern Flicker	.25
414	<i>Colaptes chrysoides</i> r 379, c 458 Gilded Flicker	.50
415	<i>Colaptes rufipileus</i> r 380 Guadalupe Flicker	
416	<i>Antrostomus carolinensis</i> r 353, c 396 Chuck-will's-widow	1.50

417	<i>Antrostomus vociferus</i>	r 354, c 397	
	Whip-poor-will		1.50
417a	<i>Antrostomus vociferus arizonæ</i>	c 881	
	Stephens's Whip-poor-will		
418	<i>Phalænoptilus nuttalli</i>	r 355pt, c 333pt	
	Poor-will		2.50
418a	<i>Phalænoptilus nuttalli nitidus</i>	r 355pt, c 398pt	
	Frosted Poor-will		3.00
418b	<i>Phalænoptilus nuttalli californicus</i>	r 355pt, c 398pt	
	Dusky Poor-will		3.00
419	<i>Nyctidromus albicollis merrilli</i>	r 356, c 395	
	Merrill's Parauque		2.50
420	<i>Chordeiles virginianus</i>	r 357, c 399	
	Nighthawk		.40
420a	<i>Chordeiles virginianus henryi</i>	r 357a, c 400	
	Western Nighthawk		.40
420c	<i>Chordeiles virginianus chapmani</i>	357b, c 401	
	Florida Nighthawk		1.00
421	<i>Chordeiles texensis</i>	r 358, c 402	
	Texan Nighthawk		.40
422	<i>Cypseloides niger</i>	r 350, c 404	
	Black Swift		
423	<i>Chætura pelagica</i>	r 351, c 405	
	Chimney Swift		.12
424	<i>Chætura vauxii</i>	r 352, c 405	
	Vaux's Swift		.75
425	<i>Micropus melanoleucus</i>	r 349, c 403	
	White-throated Swift		
426	<i>Eugenes fulgens</i>	r 334, c 408	
	Rivoli Hummingbird		
427	<i>Cœligena clemenciæ</i>		
	Blue-throated Hummingbird		
428	<i>Trochilus colubris</i>	r 355, c 409	
	Ruby-throated Hummingbird		.50
429	<i>Trochilus alexandri</i>	r 336, c 410	
	Black-chinned Hummingbird		.50
429.1	<i>Trochilus violajugulum</i>		
	Violet-throated Hummingbird		
430	<i>Trochilus costæ</i>	r 337, c 415	
	Costa's Hummingbird		.75
431	<i>Trochilus anna</i>	r 338, c 415	
	Anna's Hummingbird		.50

431.1	<i>Trochilus floresii</i> Floresi's Hummingbird	
432	<i>Trochilus platycercus</i> r 339, c 413 Broad-tailed Hummingbird	1.00
433	<i>Trochilus rufus</i> r 340, c 411 Rufous Hummingbird	.75
434	<i>Trochilus alleni</i> r 341, c 412 Allen's Hummingbird	.75
436	<i>Trochilus calliope</i> r 343, c 417 Calliope Hummingbird	2.00
437	<i>Trochilus lucifer</i> r 344, c 418 Lucifer Hummingbird	
438	<i>Amazilia fuscicaudata</i> r 345, c 419 Reiffer's Hummingbird	
439	<i>Amazilia cerviniventris</i> r 346, c 420 Buff-bellied Hummingbird	1.50
440	<i>Basilinna xantusi</i> r 347, c 407 Xantus's Hummingbird	
441	<i>Iache latirostris</i> r 348, c 421 Broad-billed Hummingbird	
441.1	<i>Platypsaris albiventris</i> Xantus's Becard	
[442]	<i>Milvulus tyrannus</i> r 302, c 366 Fork-tailed Flycatcher	
443	<i>Milvulus forficatus</i> r 301, c 367 Scissor-tailed Flycatcher	.10
444	<i>Tyrannus tyrannus</i> r 304, c 368 Kingbird	.03
445	<i>Tyrannus dominicensis</i> r 303, c 369 Gray Kingbird	.50
446	<i>Tyrannus melancholicus couchii</i> r 305, c 372 Couch's Kingbird	1.00
447	<i>Tyrannus verticalis</i> r 306, c 370 Arkansas Kingbird	.06
448	<i>Tyrannus vociferans</i> r 307, c 371 Cassin's Kingbird	.25
449	<i>Pitangus derbianus</i> r 308, c 364 Derby Flycatcher	
[450]	<i>Myiozetetes texensis</i> r 309 Giraud's Flycatcher	1.00
451	<i>Myiodynastes luteiventris</i> r 310, c 365 Sulpher-bellied Flycatcher	

452	<i>Myiarchus crinitus</i> r 312, c 373 Crested Flycatcher	.12
453	<i>Myiarchus mexicanus</i> r 311, c 374 Mexican Crested Flycatcher	.40
453a	<i>Myiarchus mexicanus magister</i> Arizona Crested Flycatcher	1.00
454	<i>Myiarchus cinerascens</i> r 313, c 375 Ash-throated Flycatcher	.25
[455]	<i>Myiarchus lawrencei</i> r 314, c 376 Lawrence's Flycatcher's	1.00
455a	<i>Myiarchus lawrencei olivascens</i> Olivaceous Flycatcher	
456	<i>Sayornis phœbe</i> r 315, c 379 Phœbe	.04
457	<i>Sayornis saya</i> r 316, c 377 Say's Phœbe	.15
458	<i>Sayornis nigricans</i> r 317, c 378 Black Phœbe	.15
459	<i>Contopus borealis</i> r 318, c 380 Olive-sided Flycatcher	1.50
460	<i>Contopus pertinax</i> r 319, c 381 Coues's Flycatcher	
431	<i>Contopus virens</i> r 320, c 382 Wood Pewee	.12
462	<i>Contopus richardsonii</i> r 321, c 383 Western Wood Pewee	.20
462a	<i>Contopus richardsonii peninsulæ</i> Large-billed Wood Pewee	
463	<i>Empidonax flaviventris</i> r 322, 388 Yellow-bellied Flycatcher	1.00
464	<i>Empidonax difficilis</i> r 323, c 389 Western Flycatcher	.20
464.1	<i>Empidonax cineritius</i> St. Lucas Flycatcher	
465	<i>Empidonax acadicus</i> r 324, c 384 Acadian Flycatcher	.15
466	<i>Empidonax pusillus</i> r 325, c 386 Little Flycatcher	.25
466a	<i>Empidonax pusillus traillii</i> r 325a, c 385 Triall's Flycatcher	.15
467	<i>Empidonax minimus</i> r 326, c 387 Least Flycatcher	.15

468	<i>Empidonax hammondi</i>	r 327, c 330	
	Hammond's Flycatcher		.75
469	<i>Empidonax wrightii</i>	r 328, c 391	
	Wright's Flycatcher		1.00
469.1	<i>Empidonax griseus</i>		
	Gray Flycatcher		
[470]	<i>Empidonax fulvifrons</i>	r 329	
	Fulvous Flycatcher		
470a	<i>Empidonax fulvifrons pygmæus</i>	r 329a, c 392	
	Buff-breasted Flycatcher		
471	<i>Pyrocephalus rubineus mexicanus</i>	r 330, c 394	
	Vermilion Flycatcher		.75
472	<i>Ornithion imberbe</i>	r 331, c 393	
	Beardless Flycatcher		
472a	<i>Ornithion imberbe ridgwayi</i>		
	Ridgway's Flycatcher		
[473]	<i>Alauda arvensis</i>	r 299, c 88	
	Skylark		.15*
474	<i>Otocoris alpestris</i>	r 300, c 82	
	Horned Lark		1.00
474a	<i>Otocoris alpestris leucolæma</i>	r 300a, c 83	
	Pallid Horned Lark		.50
474b	<i>Otocoris alpestris praticola</i>		
	Prairie Horned Lark		.15
474c	<i>Otocoris alpestris arenicola</i>		
	Desert Horned Lark		.20
474d	<i>Otocoris alpestris giraudi</i>		
	Texan Horned Lark		.30
474e	<i>Otocoris alpestris chrysolæma</i>	r 300b, c 84	
	Mexican Horned Lark		.75
474f	<i>Otocoris alpestris rubea</i>		
	Ruddy Horned Lark		.35
474g	<i>Otocoris alpestris strigata</i>		
	Streaked Horned Lark		.75
474h	<i>Otocoris alpestris adusta</i>		
	Scorched Horned Lark		1.00
474i	<i>Otocoris alpestris merrilli</i>		
	Dusky Horned Lark		.75
474j	<i>Otocoris alpestris pallida</i>		
	Sonoran Horned Lark		
475	<i>Pica pica hudsonica</i>	r 286, c 347	
	American Magpie		.15

476	<i>Pica nuttalli</i> r 287, c 348 Yellow-billed Magpie	.35
477	<i>Cyanocitta cristata</i> r 289, c 349 Blue Jay	.04
477a	<i>Cyanocitta cristata florincola</i> Florida Blue Jay	.35
478	<i>Cyanocitta stelleri</i> r 290, c 350] Steller's Jay	1.00
478a	<i>Cyanocitta stelleri frontalis</i> r 290a, c 353 Blue-fronted Jay	.75
478b	<i>Cyanocitta stelleri macrolopha</i> r 290c, c 352pt Long-crested Jay	1.50
478c	<i>Cyanocitta stelleri annectens</i> r 290b, c 352pt Black-headed Jay	1.50
479	<i>Aphelocoma floridana</i> r 291, c 354 Florida Jay	.75
480	<i>Aphelocoma woodhousei</i> r 292, c 355 Woodhouse's Jay	1.00
481	<i>Aphelocoma californica</i> r 293pt, c 356pt California Jay	.20
481a	<i>Aphelocoma californica hypoleuca</i> r 293pt, c 356pt Xantus's Jay	
481b	<i>Aphelocoma californica obscura</i> Belding's Jay	
481.1	<i>Aphelocoma insularis</i> Santa Cruz Jay	
482	<i>Aphelocoma sieberii arizonæ</i> r 295, c 357 Arizona Jay	1.00
483	<i>Xanthoura luxuosa</i> r 296, c 358 Green Jay	1.25
484	<i>Perisoreus canadensis</i> r 297, c 359 Canada Jay	1.50
484a	<i>Perisoreus canadensis capitalis</i> r 297a, c 362 Rocky Mountain Jay	
484b	<i>Perisoreus canadensis fumifrons</i> r 297b, c 360 Alaskan Jay	
484c	<i>Perisoreus canadensis nigricapillus</i> Labrador Jay	
485	<i>Perisoreus obscurus</i> r 298, c 361 Oregon Jay	2.50
486	<i>Corvus corax sinuatus</i> r 286pt, c 338pt American Raven	1.50

486a	<i>Corvus corax principalis</i>	r 280pt, c 338pt	
	Northern Raven		1.50
487	<i>Corvus cryptoleucus</i>	r 281, c 339	
	White-necked Raven		.75
488	<i>Corvus americanus</i>	r 282, c 340	
	American Crow		.05
488a	<i>Corvus americanus floridanus</i>	r 282a, c 341	
	Florida Crow		.35
489	<i>Corvus caurinus</i>	r 282b, c 342	
	Northwest Crow		.35
490	<i>Corvus ossifragus</i>	r 283, c 343	
	Fish Crow		.35
491	<i>Picicorvus columbianus</i>	r 284, c 344	
	Clarke's Nutcracker		7.50
492	<i>Cyanocephalus cyanocephalus</i>	r 285, c 345	
	Pinon Jay		2.50
[493]	<i>Sturnus vulgaris</i>	r 279, c 363	
	Starling		.10*
494	<i>Dolichonyx oryzivorus</i>	r 257, c 312	
	Bobolink		.25
494a	<i>Dolichonyx oryzivorus albinucha</i>		
	Western Bobolink		.35
495	<i>Molothrus ater</i>	r 258, c 313	
	Cowbird		.03
495a	<i>Molothrus ater obscurus</i>	r 258a, c 314	
	Dwarf Cowbird		.10
496	<i>Calliothrus robustus</i>	r 259, c 315	
	Red-eyed Cowbird		.40
497	<i>Xanthocephalus xanthocephalus</i>	r 260, c 319	
	Yellow-headed Blackbird		.03
498	<i>Agelaius phœniceus</i>	r 261pt, c 316pt	
	Red-winged Blackbird		.02
498a	<i>Agelaius phœniceus sonoriensis</i>	r 261pt, c 316pt	
	Sonoran Red-wing		
498b	<i>Agelaius phœniceus bryanti</i>	r 261pt, c 316pt	
	Bahaman Red-winged		
499	<i>Agelaius gubernator</i>	r 261a, c 317	
	Bicolored Blackbird		.10
500	<i>Agelaius tricolor</i>	r 262, c 318	
	Tricolored Blackbird		.15
501	<i>Sturnella magna</i>	r 263, c 320	
	Meadowlark		.10

501a	<i>Sturnella magna mexicana</i>	r 263a, c 321	
	Mexican Meadowlark		.35
501b	<i>Sturnella magna neglecta</i>	r 264, c 322	
	Western Meadowlark		.10
[502]	<i>Icterus icterus</i>	r 265, c 323	
	Troupial		
503	<i>Icterus audubonii</i>	r 266, c 330	
	Audubon's Oriole		2.00
504	<i>Icterus parisorum</i>	r 268, c 329	
	Scott's Oriole		1.50
505	<i>Icterus cucullatus</i>	r 269, c 328	
	Hooded Oriole		.50
505a	<i>Icterus cucullatus nelsoni</i>		
	Arizona Hooded Oriole		.35
506	<i>Icterus spurius</i>	r 270, c 324	
	Orchard Oriole		.06
507	<i>Icterus galbula</i>	r 271, c 326	
	Baltimore Oriole		.06
508	<i>Icterus bullocki</i>	r 272, c 327	
	Bullock's Oriole		.10
509	<i>Scolecophagus carolinus</i>	r 273, c 331	
	Rusty Blackbird		1.00
510	<i>Scolecophagus cyanocephalus</i>	r 274, c 332	
	Brewer's Blackbird		.03
511	<i>Quiscalus quiscula</i>	r 278, c 335	
	Purple Grackle		.05
511a	<i>Quiscalus quiscula aglæus</i>	r 278a, c 336	
	Florida Grackle		.10
511b	<i>Quiscalus quiscula æneus</i>	r 278b, c 337	
	Bronzed Grackle		.05
512	<i>Quiscalus macrourus</i>	r 275, c 333	
	Great-tailed Grackle		.15
513	<i>Quiscalus major</i>	r 277, c 334	
	Boat-tailed Grackle		.15
514	<i>Coccothraustes vespertina</i>	r 135pt, c 189pt	
	Evening Grosbeak		
514a	<i>Coccothraustes vespertinus montanus</i>	r 165pt, c 189pt	
	Western Evening Grosbeak		
515	<i>Pinicola enucleator</i>	r 166, c 190	
	Pine Grosbeak		1.25
[516]	<i>Pyrrhula cassini</i>	r 167, c 191	
	Cassin's Bullfinch		

North American Birds Eggs. 35

517	<i>Carpodacus purpureus</i>	r 168, c 194	
	Purple Finch		.15
517a	<i>Carpodacus purpureus californicus</i>	r 168a	
	California Purple Finch		.35
518	<i>Carpodacus cassinii</i>	r 169, c 195	
	Cassin's Purple Finch		1.00
519	<i>Carpodacus mexicanus frontalis</i>	r 170, c 196	
	House Finch		.05
519b	<i>Carpodacus mexicanus ruberrimus</i>	r 170a, c 197	
	St. Lucas House Finch		
520	<i>Carpodacus amplus</i>	r 171	
	Guadalupe House Finch		
521	<i>Loxia curvirostra minor</i>	r 172, c 199	
	American Crossbill		5.00
521a	<i>Loxia curvirostra stricklandi</i>	r 172a, c 200	
	Mexican Crossbill		5.00
522	<i>Loxia leucoptera</i>	r 173, c 198	
	White-winged Crossbill		5.00
523	<i>Leucosticte griseonucha</i>	r 174, c 205	
	Aleutian Leucosticte		2.50
524	<i>Leucosticte tephrocotis</i>	r 175, c 203	
	Gray-crowned Leucosticte		
524a	<i>Leucosticte tephrocotis littoralis</i>	r 175a, c 204	
	Hepburn's Leucosticte		
525	<i>Leucosticte atrata</i>	r 176, c 201	
	Black Leucosticte		
526	<i>Leucosticte australis</i>	r 177, c 203	
	Brown-capped Leucosticte		
527	<i>Acanthis hornemannii</i>	r 178, c 209	
	Greenland Redpoll		1.50
527a	<i>Acanthis hornemannii exilipes</i>	r 178a, c 210	
	Hoary Redpoll		1.50
528	<i>Acanthis linaria</i>	r 179, c 207	
	Redpoll		.35*
528a	<i>Acanthis linaria holboëllii</i>	r 179apt, c 208pt	
	Holboëll's Redpoll		
528b	<i>Acanthis linaria rostrata</i>	r 179apt, c 208pt	
	Greater Redpoll		
529	<i>Spinus tristis</i>	r 181pt, c 213pt	
	American Goldfinch		.05
529a	<i>Spinus tristis pallidus</i>	r 181pt, c 213pt	
	Western Goldfinch		.10

530	<i>Spinus psaltria</i>	r 182, c 215	
	Arkansas Goldfinch		.10
530a	<i>Spinus psaltria arizonæ</i>	r 182a, c 216	
	Arizona Goldfinch		.25
530b	<i>Spinus psaltria mexicanus</i>	r 182b, c 217	
	Mexican Goldfinch		.50
531	<i>Spinus lawrencei</i>	r 183, c 214	
	Lawrence's Goldfinch		.20
[532]	<i>Spinus notatus</i>	r 184, c 218	
	Black-headed Goldfinch		
533	<i>Spinus pinus</i>	r 185, c 212	
	Pine Siskin		1.00
534	<i>Plectrophenax nivalis</i>	r 186pt, c 219pt	
	Snowflake		.50*
534a	<i>Plectrophenax nivalis townsendi</i>	r 186pt, c 219pt	
	Prybilof Snowflake		1.50
535	<i>Plectrophenax hyperboreus</i>		
	McKay's Snowflake		
536	<i>Calcarius lapponicus</i>	r 187, c 220	
	Lapland Longspur		.75
537	<i>Calcarius pictus</i>	r 188, c 221	
	Smith's Longspur		1.50
538	<i>Calcarius ornatus</i>	r 189, c 222	
	Chestnut-collared Longspur		.35
539	<i>Rhynchophanes mccownii</i>	r 190, c 223	
	McCown's Longspur		1.00
540	<i>Poocætes gramineus</i>	r 197, c 232	
	Vesper Sparrow		.05
540a	<i>Poocætes gramineus confinis</i>	r 197apt, 232pt	
	Western Vesper Sparrow		.15
540b	<i>Poocætes gramineus affinis</i>	r 197apt, c 232pt	
	Oregon Vesper Sparrow		.25
541	<i>Ammodramus princeps</i>	r 192, c 225	
	Ipswich Sparrow		2.50
542	<i>Ammodramus sandwichensis</i>	r 193, c 226	
	Sandwich Sparrow		
542a	<i>Ammodramus sandwichensis savanna</i>	r 193a, c 227	
	Savanna Sparrow		.10
542b	<i>Ammodramus sandwichensis alaudinus</i>	r 193b, c 229	
	Western Savanna Sparrow		.20
542c	<i>Ammodramus sandwichensis bryanti</i>	r 194pt, c 228pt	
	Bryant's Marsh Sparrow		1.00

- 543 *Ammodramus beldingi* r 194pt, c 228pt
Belding's Marsh Sparrow 1.00
- 544 *Ammodramus rostratus* r 196, c 230
Large-billed Sparrow
- 544a *Ammodramus rostratus guttatus* r 195, c 231
St. Lucas Sparrow 2.50
- 545 *Ammodramus bairdii* r 191, c 224
Baird's Sparrow
- 546 *Ammodramus savannarum passerinus* r 198, c 234
Grasshopper Sparrow .20
- 546a *Ammodramus savannarum perpallidus* r198a, c235
Western Grasshopper Sparrow .20
- 547 *Ammodramus henslowii* r 199, c 236
Henslow's Sparrow 1.50
- 547a *Ammodramus henslowii occidentalis* r199pt, c236pt
Western Henslow's Sparrow
- 548 *Ammodramus leconteii* r 200, c 237
Leconte's Sparrow
- 549 *Ammodramus caudacutus* r 201, c 240
Sharp-tailed Sparrow .35
- 549a *Ammodramus caudacutus nelsoni* r 201a, c 241
Nelson's Sparrow
- 549b *Ammodramus caudacutus subvirgatus* r201ptc240pt
Acadian Sharp-tailed Sparrow
- 550 *Ammodramus maritimus* r 202pt, c 238pt
Seaside Sparrow .20
- 550a *Ammodramus maritimus peninsulæ* r 202pt, c 238pt
Scott's Seaside Sparrow
- 550b *Ammodramus maritimus sennetti* r 202pt, c 238pt
Texan Seaside Sparrow
- 551 *Ammodramus nigrescens* r 203, c 239
Dusky Seaside Sparrow
- 552 *Chondestes grammacus* r 204, c 281pt
Lark Sparrow .05
- 552a *Chondestes grammacus strigatus* r 204a, c 281pt
Western Lark Sparrow .05
- 553 *Zonotrichia querula* r 205, c 280
Harris's Sparrow
- 554 *Zonotrichia leucophrys* r 206, c 276
White-crowned Sparrow .50
- 554a *Zonotrichia leucophrys intermedia* r 207a, c 277
Intermediate Sparrow 1.00

554b	<i>Zonotrichia leucophrys gambeli</i>	r 207, c 278	
	Gambel's Sparrow		.15
557	<i>Zonotrichia coronata</i>	r 208, c 279	
	Golden-crowned Sparrow		1.50
558	<i>Zonotrichia albicollis</i>	r 209, c 275	
	White-throated Sparrow		.35
559	<i>Spizella monticola</i>	r 210pt, c 268 pt	
	Tree Sparrow		.75
559a	<i>Spizella monticola ochracea</i>	r 210pt, c 268pt	
	Western Tree Sparrow		.75
560	<i>Spizella socialis</i>	r 211, c 269	
	Chipping Sparrow		.02
560a	<i>Spizella socialis arizonæ</i>	r 211a, c 270	
	Western Chipping Sparrow		.10
561	<i>Spizella pallida</i>	r 212, c 272	
	Clay-colored Sparrow		.35
562	<i>Spizella breweri</i>	r 213, c 273	
	Brewer's Sparrow		.35
563	<i>Spizella pusilla</i>	r 214, c 271	
	Field Sparrow		.03
563a	<i>Spizella pusilla arenacea</i>		
	Western Field Sparrow		.25
564	<i>Spizella wortheni</i>		
	Worthen's Sparrow		
565	<i>Spizella atrigularis</i>	r 215, c 274	
	Black-chinned Sparrow		1.00
566	<i>Junco aikeni</i>	r 216, c 262	
	White-winged Junco		1.50
567	<i>Junco hyemalis</i>	r 217pt, c 261pt	
	Slate-colored Junco		.20
567a	<i>Junco hyemalis oregonus</i>	r 218, c 263	
	Oregon Junco		.50
567b	<i>Junco hyemalis shufeldti</i>	r 218pt, c 263pt	
	Shufeldt's Junco		.75
567c	<i>Junco hyemalis thurberi</i>	r 218pt, c 263pt	
	Thurber's Junco		.75
567d	<i>Junco hyemalis carolinensis</i>	r 217pt, c 261pt	
	Carolina Junco		.60
568	<i>Junco annectens</i>	r 219, c 264	
	Pink-sided Junco		1.50
568.1	<i>Junco ridgwayi</i>		
	Ridgeway's Junco		

569	<i>Junco caniceps</i> r 220, c 265 Gray-headed Junco	1.00
570	<i>Junco cinereus palliatus</i> r 222pt, c 267pt Arizona Junco	1.00
570a	<i>Junco cinereus dorsalis</i> r 221, c 263 Red-backed Junco	1.00
571	<i>Junco bairdi</i> Baird's Junco	
571.1	<i>Junco townsendi</i> Townsend's Junco	
572	<i>Junco insularis</i> r 223 Guadalupe Junco	
573	<i>Amphispiza bilineata</i> r 224, c 258 Black-throated Sparrow	.35
574	<i>Amphispiza belli</i> r 225, c 259 Bell's Sparrow	.75
574a	<i>Amphispiza belli nevadensis</i> r 225a, c 260 Sage Sparrow	1.00
574b	<i>Amphispiza belli cinerea</i> Gray Sage Sparrow	
575	<i>Peucæa æstivalis</i> r 226, c 251 Pine-wood Sparrow	1.00
575a	<i>Peucæa æstivalis bachmanii</i> r 225a, c 252 Bachman's Sparrow	1.50
576	<i>Peucæa arizonæ</i> r 227, c 253 Arizona Sparrow	2.00
577	<i>Peucæa mexicana</i> Mexican Sparrow	
578	<i>Peucæa cassini</i> r 228, c 254 Cassin's Sparrow	1.50
579	<i>Peucæa carpalis</i> r 229, c 257 Rufous-winged Sparrow	3.75
580	<i>Peucæa ruficeps</i> r 230, c 255 Rufous-crowned Sparrow	2.00
580a	<i>Peucæa ruficeps boucardi</i> r 230a, c 256 Boucard's Sparrow	2.00
580b	<i>Peucæa ruficeps eremœca</i> Rock Sparrow	2.25
581	<i>Melospiza fasciata</i> r 231, c 244 Song Sparrow	.02
581a	<i>Melospiza fasciata fallax</i> r 231apt, c 245pt Desert Song Sparrow	.35

581 <i>b</i>	<i>Melospiza fasciata montana</i>	r 231 <i>apt</i> , c 245 <i>pt</i>	
	Mountain Song Sparrow		.25
581 <i>c</i>	<i>Melospiza fasciata heermanni</i>	r 231 <i>b</i> , c 248	
	Heermann's Song Sparrow		.10
581 <i>d</i>	<i>Melospiza fasciata samuelis</i>	r 231 <i>c</i> , c 249	
	Samuel's Song Sparrow		.05
581 <i>e</i>	<i>Melospiza fasciata guttata</i>	r 231 <i>d</i> , c 246	
	Rusty Song Sparrow		.40
581 <i>f</i>	<i>Melospiza fasciata rufina</i>	r 231 <i>e</i> , c 247	
	Sooty Song Sparrow		.50
581 <i>g</i>	<i>Melospiza fasciata rivularis</i>		
	Brown's Song Sparrow		
581 <i>h</i>	<i>Melospiza fasciata graminea</i>		
	Santa Barbara Song Sparrow		
581 <i>i</i>	<i>Melospiza fasciata elementæ</i>		
	San Clemente Song Sparrow		
582	<i>Melospiza cinerea</i>	r 232, c 250	
	Aleutian Song Sparrow		3.00
583	<i>Melospiza lincolni</i>	r 234, c 242	
	Lincoln's Sparrow		.75
583 <i>a</i>	<i>Melospiza lincolni striata</i>	r 234 <i>pt</i> , c 242 <i>pt</i>	
	Forbush's Sparrow		
584	<i>Melospiza georgiana</i>	r 233, c 243	
	Swamp Sparrow		.12
585	<i>Passerella iliaca</i>	r 235, c 282	
	Fox Sparrow		1.00
585 <i>a</i>	<i>Passerella iliaca unalaschcensis</i>	r 235 <i>a</i> , c 283	
	Townsend's Sparrow		2.00
585 <i>b</i>	<i>Passerella iliaca megarhyncha</i>	r 235 <i>b</i> , c 285	
	Thick billed Sparrow		2.00
585 <i>c</i>	<i>Passerella iliaca schistacea</i>	r 235 <i>c</i> , c 284	
	Slate-colored Sparrow		2.00
586	<i>Embernagra rufivirgata</i>	r 236, c 311	
	Texas Sparrow		.50
587	<i>Pipilo erythrophthalmus</i>	r 237, c 301	
	Towhee		.10
587 <i>a</i>	<i>Pipilo erythrophthalmus alleni</i>	r 237 <i>a</i> , c 302	
	White-eyed Towhee		.50
588	<i>Pipilo maculatus arcticus</i>	r 238, c 304	
	Arctic Towhee		.75
588 <i>a</i>	<i>Pipilo maculatus megalonyx</i>	r 238 <i>a</i> , c 305	
	Spurred Towhee		.20

North American Birds Eggs.

41

588b	<i>Pipilo maculatus oregonus</i>	r 238b, c 303	
	Oregon Towhee		.25
589	<i>Pipilo consobrinus</i>	r 238c	
	Guadalupe Towhee		
590	<i>Pipilo chlorurus</i>	r 239, c 310	
	Green-tailed Towhee		.50
591	<i>Pipilo fuscus mesoleucus</i>	r 240, c 306	
	Canon Towhee		.50
591a	<i>Pipilo fuscus albigula</i>	r 240a, c 307	
	St. Lucas Towhee		1.00
591b	<i>Pipilo fuscus crissalis</i>	r 240b, c 308	
	Californian Towhee		.10
592	<i>Pipilo aberti</i>	r 241, c 309	
	Abert's Towhee		.75
593	<i>Cardinalis cardinalis</i>	r 242, c 299	
	Cardinal		.05
593a	<i>Cardinalis cardinalis superbus</i>	r 242apt, c 300pt	
	Arizona Cardinal		1.00
593b	<i>Cardinalis cardinalis igneus</i>	r 242apt, c 300pt	
	St. Lucas Cardinal		1.50
593c	<i>Cardinalis cardinalis canicaudus</i>	r 242pt, c 299pt	
	Gray-tailed Cardinal		
594	<i>Pyrrhuloxia sinuata</i>	r 243pt, c 298pt	
	Texan Cardinal		.35
594a	<i>Pyrrhuloxia sinuata beckhami</i>	r 243pt, c 298pt	
	Arizona Pyrrhuloxia		2.00
594b	<i>Pyrrhuloxia sinuata peninsulæ</i>	r 243pt, c 298pt	
	St. Lucas Pyrrhuloxia		1.50
595	<i>Habia ludoviciana</i>	r 244, c 289	
	Rose-breasted Grosbeak		.10
596	<i>Habia melanocephala</i>	r 245, c 290	
	Black-headed Grosbeak		.15
597	<i>Guiraca cærulea</i>	r 246pt, c 291pt	
	Blue Grosbeak		.20
597a	<i>Guiraca cærulea eurhyncha</i>	r 246pt, c 291pt	
	Western Blue Grosbeak		.25
598	<i>Passerina cyanea</i>	r 248, c 295	
	Indigo Bunting		.08
599	<i>Passerina amoena</i>	r 249, c 296	
	Lazuli Bunting		.20
600	<i>Passerina versicolor</i>	r 250pt, c 293pt	
	Varied Bunting		

600a	<i>Passerina versicolor pulchra</i>	r 250pt, c 293pt	
	Beautiful Bunting		
601	<i>Passerina ciris</i>	r 251, c 292	
	Painted Bunting		.10
602	<i>Sporophila morelleti sharpei</i>	r 252, c 296	
	Sharpe's Seed-eater		1.00
603	<i>Euetheia bicolor</i>	r 253, c 297	
	Grassquit		1.00
[603.1]	<i>Euetheia canora</i>		
	Melodious Grassquit		
604	<i>Spiza americana</i>	r 254, c 287	
	Dickcissel		.05
605	<i>Calamospiza melanocorys</i>	r 256, c 286	
	Lark Bunting		.25
606	<i>Euphonia elegantissima</i>	r 160,	
	Blue-headed Euphonia		2.00
607	<i>Piranga ludoviciana</i>	r 162, c 158	
	Louisiana Tanager		.75
[607.1]	<i>Piranga rubriceps</i>		
	Gray's Tanager		
608	<i>Piranga erythromelas</i>	r 161, c 154	
	Scarlet Tanager		.25
609	<i>Piranga hepatica</i>	r 163, c 157	
	Hepatic Tanager		1.50
610	<i>Piranga rubra</i>	r 164, c 155	
	Summer Tanager		.25
610a	<i>Piranga rubra cooperi</i>	r 164a, c 156	
	Cooper's Tanager		1.50
611	<i>Progne subis</i>	r 152, c 165	
	Purple Martin		.12
611a	<i>Progne subis hesperia</i>	r 152pt, c 165pt	
	Western Martin		
611.1	<i>Progne cryptoleuca</i>	r 152a	
	Cuban Martin		
612	<i>Petrochelidon lunifrons</i>	r 153, c 162	
	Cliff Swallow		.03
[612.1]	<i>Petrochelidon fulva</i>		
	Cuban Cliff Swallow		
613	<i>Chelidon erythrogaster</i>	r 154, c 159	
	Barn Swallow		.05
614	<i>Tachycineta bicolor</i>	r 155, c 160	
	Tree Swallow		.15

615	<i>Tachycineta thalassina</i>	r 156, c 161	
	Violet-green Swallow		.40
[615.1]	<i>Callichelidon cyaneoviridis</i>		
	Bahaman Swallow		
616	<i>Clivicola riparia</i>	r 157, c 163	
	Bank Swallow		.03
617	<i>Stelgidopteryx serripennis</i>	r 158, c 164	
	Rough-winged Swallow		.25
618	<i>Ampelis garrulus</i>	r 150, c 166	
	Bohemian Waxwing		1.50
619	<i>Ampelis cedrorum</i>	r 151, c 167	
	Cedar Waxwing		.10
620	<i>Phainopepla nitens</i>	r 26, c 168	
	Phainopepla		.35
621	<i>Lanius borealis</i>	r 148, c 186	
	Northern Shrike		1.00
622	<i>Lanius ludovicianus</i>	r 149, c 187	
	Loggerhead Shrike		.08
622a	<i>Lanius ludovicianus excubitorides</i>	r 149apt, c 188pt	
	White-rumped Shrike		.08
622b	<i>Lanius ludovicianus gambelli</i>	r 149apt, c 188pt	
	California Shrike		.08
623	<i>Vireo altiloquus barbatulus</i>	r 137, c 172	
	Black-whiskered Vireo		1.50
624	<i>Vireo olivaceus</i>	r 135, c 170	
	Red-eyed Vireo		.10
625	<i>Vireo flavoviridis</i>	r 133, c 171	
	Yellow-green Vireo		1.50
626	<i>Vireo philadelphicus</i>	r 138, c 173	
	Philadelphia Vireo		
627	<i>Vireo gilvus</i>	r 139, 139a, c 174, 175	
	Warbling Vireo		.15
628	<i>Vireo flavifrons</i>	r 140, c 176	
	Yellow-throated Vireo		.25
629	<i>Vireo solitarius</i>	r 141pt, c 177pt	
	Blue-headed Vireo		1.00
629a	<i>Vireo solitarius cassinii</i>	r 141a, c 178	
	Cassin's Vireo		1.00
629b	<i>Vireo solitarius plumbeus</i>	r 141b, c 179	
	Plumbeous Vireo		.75
629c	<i>Vireo solitarius alticola</i>	r 141pt, c 177pt	
	Mountain Solitary Vireo		.75

629d	<i>Vireo solitarius lucasanus</i> St. Lucas Solitary Vireo	
630	<i>Vireo atricapillus</i> r 142, c 185 Black-capped Vireo	1.00
631	<i>Vireo noveboracensis</i> r 143, c 181 White-eyed Vireo	.15
631a	<i>Vireo noveboracensis maynardi</i> Key West Vireo	1.50
632	<i>Vireo huttoni</i> r 144, c 182 Hutton's Vireo	2.00
632a	<i>Vireo huttoni stephensi</i> Stephen's Vireo	2.00
633	<i>Vireo bellii</i> r 145, c 183 Bell's Vireo	.15
633a	<i>Vireo bellii pusillus</i> r 146, c 184 Least Vireo	.75
634	<i>Vireo vicinior</i> r 147, c 180 Gray Vireo	1.50
635	<i>Coereba bahamensis</i> r 159, c 153 Bahama Honey Creeper	1.25
636	<i>Mniotilta varia</i> r 74, 74a, c 91, 92 Black and White Warbler	.50
637	<i>Protonotaria citrea</i> r 75, c 95 Prothonotary Warbler	.25
638	<i>Helinaia swainsonii</i> r 76, c 97 Swainson's Warbler	1.00
639	<i>Helmintherus vermivorus</i> r 77, c 96 Worm-eating Warbler	.75
640	<i>Helminthophila bachmani</i> r 78, c 103 Bachman's Warbler	
641	<i>Helminthophila pinus</i> r 79, c 98 Blue-winged Warbler	1.50
642	<i>Helminthophila chrysoptera</i> r 81, c 102 Golden-winged Warbler	.75
643	<i>Helminthophila luciae</i> r 83, c 104 Lucy's Warbler	2.00
644	<i>Helminthophila virginæ</i> r 84, c 105 Virginia's Warbler	2.50
645	<i>Helminthophila ruficapilla</i> r 85pt, c 106pt Nashville Warbler	.75
645a	<i>Helminthophila ruficapilla gutturalis</i> r 85pt, c 106pt Calaveras Warbler	

646	<i>Helminthophila celata</i> r 86, c 107 Orange-crowned Warbler	2.00
646a	<i>Helminthophila celata lutescens</i> r 86a, c 108 Lutescent Warbler	.75
646b	<i>Helminthophila celata sordida</i> Dusky Warbler	
647	<i>Helminthophila peregrina</i> r 87, c 109 Tennessee Warbler	
648	<i>Compothlypis americana</i> r 88, c 93 Parula Warbler	.20
649	<i>Compothlypis nigrilora</i> r 89a, c 94 Sennett's Warbler	
650	<i>Dendroica tigrina</i> r 90, c 126 Cape May Warbler	
651	<i>Dendroica olivacea</i> r 92, c 110 Olive Warbler	
652	<i>Dendroica æstiva</i> r 93pt, c 111pt Yellow Warbler	.05
652a	<i>Dendroica æstiva sonorana</i> r 93pt. c 111pt. Sonora Yellow Warbler	.50
653	<i>Dendroica bryanti castaneiceps</i> Mangrove Warbler	
654	<i>Dendroica cærulescens</i> r 94, c 117 Black-throated Blue Warbler	1.25
655	<i>Dendroica coronata</i> r 95, c 119 Myrtle Warbler	.75
656	<i>Dendroica auduboni</i> r 96, c 120 Audubon's Warbler	1.50
657	<i>Dendroica maculosa</i> r 97, c 125 Magnolia Warbler	.50
658	<i>Dendroica cærulea</i> r 98, c 118 Cerulean Warbler	1.75
659	<i>Dendroica pensylvanica</i> r 99, c 124 Chestnut-sided Warbler	.15
660	<i>Dendroica castanea</i> r 100, c 123 Bay-breasted Warbler	1.50
661	<i>Dendroica striata</i> r 101, c 122 Black-poll Warbler	.75
662	<i>Dendroica blackburniæ</i> r 102, c 121 Blackburnian Warbler	2.00
663	<i>Dendroica dominica</i> r 103, c 129 Yellow-throated Warbler	1.50

663a	<i>Dendroica dominica albilora</i>	r 103a, c 130	
	Sycamore Warbler		2.00
664	<i>Dendroica graciae</i>	r 104, c 128	
	Grace's Warbler		2.50
665	<i>Dendroica nigrescens</i>	r 105, c 116	
	Black-throated Gray Warbler		2.50
666	<i>Dendroica chrysoparia</i>	r 106, c 115	
	Golden-cheeked Warbler		2.00
667	<i>Dendroica virens</i>	r 107, c 112	
	Black-throated Green Warbler		.50
668	<i>Dendroica townsendi</i>	r 108, c 114	
	Townsend's Warbler		2.00
669	<i>Dendroica occidentalis</i>	r 109, c 113	
	Hermit Warbler		5.00
670	<i>Dendroica kirtlandi</i>	r 110, c 131	
	Kirtland's Warbler		
671	<i>Dendroica vigorsii</i>	r 111, c 134	
	Pine Warbler		.50
672	<i>Dendroica palmarum</i>	r 113, c 132	
	Palm Warbler		3.00
672a	<i>Dendroica palmarum hypochrysea</i>	r 113a c 133	
	Yellow Palm Warbler		
673	<i>Dendroica discolor</i>	r 114, c 127	
	Prairie Warbler		.30
674	<i>Seiurus aurocapillus</i>	r 115, c 135	
	Oven-bird		.20
675	<i>Seiurus noveboracensis</i>	r 116, c 136	
	Water-Thrush		.50
675a	<i>Seiurus noveboracensis notabilis</i>	r 116a, c 137	
	Grinnell's Water-Thrush		1.50
676	<i>Seiurus motacilla</i>	r 117, c 138	
	Louisiana Water-Thrush		.50
677	<i>Geothlypis formosa</i>	r 119, c 140	
	Kentucky Warbler		.75
678	<i>Geothlypis agilis</i>	r 118, c 139	
	Connecticut Warbler		
679	<i>Geothlypis philadelphia</i>	r 120, c 142	
	Mourning Warbler		2.50
680	<i>Geothlypis macgillivrayi</i>	r 121, c 143	
	Macgillivray's Warbler		1.50
681	<i>Geothlypis trichas</i>	r 122pt, c 141pt	
	Maryland Yellow-throat		.12

681a	<i>Geothlypis trichas occidentalis</i>	r 122pt, c 141pt	
	Western Yellow-throat		.25
681b	<i>Geothlypis trichas ignota</i>	r 122pt, c 141pt	
	Florida Yellow-throat		
682	<i>Geothlypis beldingi</i>		
	Belding's Yellow-throat		
682.1	<i>Geothlypis poliocephala palpebralis</i>		
	Mirador Yellow-throat		
683	<i>Icteria virens</i>	r 123, c 144	
	Yellow-breasted Chat		.08
683a	<i>Icteria virens longicauda</i>	r 123a, c 145	
	Long-tailed Chat		.15
684	<i>Sylvania mitrata</i>	r 124, c 146	
	Hooded Warbler		.50
685	<i>Sylvania pusilla</i>	r 125, c 147	
	Wilson's Warbler		1.00
685a	<i>Sylvania pusilla pileolata</i>	r 125a, c 148	
	Pileolated Warbler		.75
686	<i>Sylvania canadensis</i>	r 127, c 149	
	Canadian Warbler		1.50
687	<i>Setophaga ruticilla</i>	r 128, c 152	
	American Redstart		.15
688	<i>Setophaga picta</i>	r 129, c 151	
	Painted Redstart		2.00
[689]	<i>Setophaga miniata</i>	r 130	
	Red-bellied Redstart		
690	<i>Cardellina rubrifrons</i>	r 131, c 150	
	Red-faced Warbler		2.50
[691]	<i>Ergaticus ruber</i>	r 132	
	Red Warbler		
[692]	<i>Basileuterus culicivorus</i>	r 133	
	Brasher's Warbler		
[693]	<i>Basileuterus belli</i>	r 134	
	Bell's Warbler		
[694]	<i>Motacilla alba</i>	r 69, c 86	
	White Wagtail		.10*
[695]	<i>Motacilla ocularis</i>		
	Swinhoe's Wagtail		
696	<i>Budytes flavus leucostriatus</i>	r 70, c 87	
	Siberian Yellow Wagtail		
697	<i>Anthus pensilvanicus</i>	r 71, c 89	
	American Pipit		.75

[698]	<i>Anthus pratensis</i>	r 72, c 88	
	Meadow Pipit		.10*
[699]	<i>Anthus cervinus</i>		
	Red-throated Pipit		.75*
700	<i>Anthus spragueii</i>	r 73, c 90	
	Sprague's Pipit		3.00
701	<i>Cinclus mexicanus</i>	r 19, c 30	
	American Dipper		1.00
702	<i>Oroscoptes montanus</i>	r 10, c 14	
	Sage Thrasher		.50
703	<i>Mimus polyglottos</i>	r 11, c 15	
	Mockingbird		.05
704	<i>Galeoscoptes carolinensis</i>	r 12, c 16	
	Catbird		.02
705	<i>Harporhynchus rufus</i>	r 13, c 17	
	Brown Thrasher		.03
706	<i>Harporhynchus longirostris sennetti</i>	r 13a, c 18	
	Sennett's Thrasher		.15
707	<i>Harporhynchus curvirostris</i>	r 15, c 19	
	Curve-billed Thrasher		.15
707a	<i>Harporhynchus curvirostris palmeri</i>	r 15a, c 20	
	Palmer's Thrasher		.75
708	<i>Harporhynchus bendirei</i>	r 14a, c 21	
	Bendire's Thrasher		.75
709	<i>Harporhynchus cinereus</i>	r 14, c 22	
	St. Lucas Thrasher		3.00
710	<i>Harporhynchus redivivus</i>	r 16, c 23	
	Californian Thrasher		.20
711	<i>Harporhynchus lecontei</i>	r 16a, c 24	
	Leconte's Thrasher		2.00
712	<i>Harporhynchus crissalis</i>	r 17, c 25	
	Crissal Thrasher		1.00
713	<i>Campylorhynchus brunneicapillus</i>	r 56, c 63	
	Cactus Wren		.12
714	<i>Campylorhynchus affinis</i>	r 57, c 64	
	St. Lucas Cactus Wren		1.00
715	<i>Salpinctes obsoletus</i>	r 58, c 65	
	Rock Wren		.50
716	<i>Salpinctes guadeloupensis</i>	r 58a,	
	Guadalupe Rock Wren		
[717]	<i>Catherpes mexicanus</i>	r 59, c 66	
	White-throated Wren		.75

North American Birds Eggs. 49

717a	<i>Catherpes mexicanus conspersus</i>	r 59a, c 67	
	Canon Wren		.60
717b	<i>Catherpes mexicanus punctulatus</i>	r 59pt, c 67pt	
	Dotted Canon Wren		
718	<i>Thryothorus ludovicianus</i>	r 60, c 68	
	Carolina Wren		.10
718a	<i>Thryothorus ludovicianus miamensis</i>	r 60b, c 69	
	Florida Wren		.50
718b	<i>Thryothorus ludovicianus lomitensis</i>	r 60pt, c 68pt	
	Lomita Wren		.75
719	<i>Thryothorus bewickii</i>	r 61, c 71	
	Bewick's Wren		.25
719a	<i>Thryothorus bewickii spilurus</i>	r 61a, c 73	
	Vigor's Wren		.25
719b	<i>Thryothorus bewickii bairdi</i>	r 61b, c 72	
	Baird's Wren		.25
720	<i>Thryothorus brevicaudus</i>	r 62	
	Guadalupe Wren		
721	<i>Troglodytes aedon</i>	r 63, c 74	
	House Wren		.05
721a	<i>Troglodytes aedon parkmanii</i>	r 63apt, 75pt	
	Parkman's Wren		.15
721b	<i>Troglodytes aedon aztecus</i>	r 63apt, c 75pt	
	Western House Wren		.08
722	<i>Troglodytes hiemalis</i>	r 65, c 76	
	Winter Wren		1.00
722a	<i>Troglodytes hiemalis pacificus</i>	r 65a, c 77	
	Western Winter Wren		1.00
723	<i>Troglodytes alascensis</i>	r 66, c 78	
	Alaskan Wren		
724	<i>Cistothorus stellaris</i>	r 68, c 81	
	Short-billed Marsh Wren		.75
725	<i>Cistothorus palustris</i>	r 67, c 79,	
	Long-billed Marsh Wren		.05
725a	<i>Cistothorus palustris paludicola</i>	r 67a, c 80	
	Tule Wren		.12
725.1	<i>Cistothorus marianæ</i>		
	Marian's Marsh Wren		
726	<i>Certhia familiaris americana</i>	r 55pt, c 62pt	
	Brown Creeper		.75
726a	<i>Certhia familiaris mexicana</i>	r 55a	
	Mexican Creeper		1.50

726b	<i>Certhia familiaris montana</i>	r 55pt, c 62pt	
	Rocky Mountain Creeper		1.50
726c	<i>Certhia familiaris occidentalis</i>	r 55pt c 62pt	
	Californian Creeper		1.25
727	<i>Sitta carolinensis</i>	r 51pt, c 57pt	
	White-breasted Nuthatch		.35
727a	<i>Sitta carolinensis aculeata</i>	r 51a, c 58	
	Slender-billed Nuthatch		.75
727b	<i>Sitta carolinensis atkinsi</i>	r 51pt, c 57pt	
	Florida White-breasted Nuthatch		
728	<i>Sitta canadensis</i>	r 52, c 59	
	Red-breasted Nuthatch		1.00
729	<i>Sitta pusilla</i>	r 53, c 60	
	Brown-headed Nuthatch		.25
730	<i>Sitta pygmæa</i>	r 54pt, c 61pt	
	Pygmy Nuthatch		.50
730a	<i>Sitta pygmæa leucorucha</i>	r 54pt, c 61pt	
	White-naped Nuthatch		
731	<i>Parus bicolor</i>	r 36, c 40	
	Tufted Titmouse		.35
731a	<i>Parus bicolor texensis</i>		
	Texan Tufted Titmouse		.75
732	<i>Parus atricristatus</i>	r 37, c 42	
	Black-crested Titmouse		.75
733	<i>Parus inornatus</i>	r 38pt, c 41pt	
	Plain Titmouse		.50
733a	<i>Parus inornatus griseus</i>	r 38pt, c 41pt	
	Gray Titmouse		
733b	<i>Parus inornatus cineraceus</i>		
	Ashy Titmouse		
734	<i>Parus wollweberi</i>	r 39, c 43	
	Bridled Titmouse		2.00
735	<i>Parus atricapillus</i>	r 41, c 44	
	Chickadee		.12
735a,	<i>Parus atricapillus septentrionalis</i>	r 41a, c 45	
	Long-tailed Chickadee		.50
735b	<i>Parus atricapillus occidentalis</i>	r 41b, c 46	
	Oregon Chickadee		.35
736	<i>Parus carolinensis</i>	r 42, c 47	
	Carolina Chickadee		.15
736a	<i>Parus carolinensis agilis</i>		
	Plumbeous Chickadee		.50

North American Birds Eggs. 51

737	<i>Parus meridionalis</i> r 43, c 879 Mexican Chickadee	1.00
738	<i>Parus gambeli</i> r 40, c 48 Mountain Chickadee	.50
739	<i>Parus cinctus obtectus</i> r 44, c 52 Siberian Chickadee	
740	<i>Parus hudsonicus</i> r 45, c 49 Hudsonian Chickadee	1.25
740a	<i>Parus hudsonicus stoneyi</i> Kowak Chickadee	
741	<i>Parus rufescens</i> r 46, c 50 Chestnut-backed Chickadee	.75
741a	<i>Parus rufescens neglectus</i> r 46a, c 51 Californian Chickadee	.50
742	<i>Chamæa fasciata</i> r 35pt, c 39pt Wren-Tit	.50
742a	<i>Chamæa fasciata henshawi</i> r 35pt, c 39pt Pallid Wren-Tit	.75
743	<i>Psaltriparus minimus</i> r 47pt, c 53pt Bush-Tit	.25
743a	<i>Psaltriparus minimus californicus</i> r 47pt, c 53pt Californian Bush-Tit	.15
743b	<i>Psaltriparus minimus grindæ</i> Grinda's Bush-Tit	
744	<i>Psaltriparus plumbeus</i> r 48, c 54 Lead-colored Bush-Tit	1.50
744.1	<i>Psaltriparus santaritæ</i> Santa Rita Bush-Tit	
745	<i>Psaltriparus lloydi</i> r 49, c 55 Lloyd's Bush-Tit	.75
746	<i>Auriparus flaviceps</i> r 50, c 56 Verdin	.35
747	<i>Phyllopseustes borealis</i> r 34, c 32 Kennicott's Willow Warbler	
748	<i>Regulus satrapa</i> r 33, c 34 Golden-crowned Kinglet	1.00
748a	<i>Regulus satrapa olivaceus</i> r 33a, c 35 Western Golden-crowned Kinglet	2.00
749	<i>Regulus calendula</i> r 30, c 33 Ruby-crowned Kinglet	1.50
750	<i>Regulus obscurus</i> r 31 Dusky Kinglet	

751	<i>Polioptila cærulea</i>	r 27pt, c 36pt	
	Blue-gray Gnatcatcher		.20
751a	<i>Polioptila cærulea obscura</i>	r 27pt, c 36pt	
	Western Gnatcatcher		.50
752	<i>Polioptila plumbea</i>	r 28, c 38	
	Plumbeous Gnatcatcher		.75
753	<i>Polioptila californica</i>	r 29, c 37	
	Black-tailed Gnatcatcher		.50
754	<i>Myadestes townsendii</i>	r 25, c 169	
	Townsend's Solitaire		1.50
755	<i>Turdus mustelinus</i>	r 1 c 6	
	Wood Thrush		.06
756	<i>Turdus fuscescens</i>	r 2, c 7	
	Wilson's Thrush		.12
756a	<i>Turdus fuscescens salicicolus</i>		
	Willow Thrush		1.00
757	<i>Turdus aliciae</i>	r 3, c 12	
	Gray-cheeked Thrush		1.50
757a	<i>Turdus aliciae bicknelli</i>	r 3 pt, c 12 pt	
	Bicknell's Thrush		
758	<i>Turdus ustulatus</i>	r 4, c 11	
	Russet-backed Thrush		.15
758a	<i>Turdus ustulatus swainsonii</i>	r 4a, c 13	
	Olive-backed Thrush		.35
759	<i>Turdus aonalaschkæ</i>	r 5, c 8	
	Dwarf Hermit Thrush		1.50
759a	<i>Turdus aonalaschkæ auduboni</i>	r 5a, c 9	
	Audubon's Hermit Thrush		1.00
759b	<i>Turdus aonalaschkæ pallasii</i>	r 5b, c 10	
	Hermit Thrush		.30
[760]	<i>Turdus iliacus</i>	r 6, c 4	
	Red-winged Thrush		.25*
761	<i>Merula migratoria</i>	r 7 c 1	
	American Robin		.03
761a	<i>Merula migratoria propinqua</i>	r 7a, c 2	
	Western Robin		.10
762	<i>Merula confinis</i>	r 8, c 3	
	St. Lucas Robin		
763	<i>Hesperocichla nævia</i>	r 9, c 5	
	Varied Thrush		2.50
[764]	<i>Cyanecula suecica</i>	r 20, c 31	
	Red-spotted Bluethroat		.75*

765	<i>Saxicola œnanthe</i> r 21, c 26 Wheatear	.10*
766	<i>Sialia sialis</i> r 22, c 27 Bluebird	.02
766a	<i>Sialia sialis azurea</i> Azure Bluebird	
767	<i>Sialia mexicana</i> r 23, c 28 Western Bluebird	.12
768	<i>Sialia arctica</i> r 24, c 29 Mountain Bluebird	.12

INTRODUCED SPECIES.

This list contains only such species as have been introduced into the United States and are known to breed in the wild state.

<i>Phasianus colchicus</i> English Pheasant	.25*
<i>Phasianus torquatus</i> Ring Pheasant	
<i>Phasianus versicolor</i> Green Pheasant	
<i>Euplocomus nycthemerus</i> Silver Pheasant	
<i>Chrysolophus pictus</i> Golden Pheasant	
<i>Tetrao tetrix</i> Black Grouse	
<i>Carduelis carduelis</i> European Goldfinch	.20*
<i>Passer domesticus</i> English Sparrow	.02
<i>Passer montanus</i> European Tree Sparrow	.15*









